Index to Volume 92

January–June, 2000

Author Index

ABASCAL F. *See* Garcífia-Valtuille R, 870
ABE H. *See* Asaoka K, 1002
ABE M, TABUCHI K. Blood-blister-like aneurysms. Letter, 1076
ACORN T. *See* Mendez I, 863
ADAMS RE. *See* Diringer MN, 7
AFSHAR JKB. *See* Pluta RM, 121
AGID Y. *See* Bejjani BP, 615
AIBIKI M. Hypothermia and head injury. Letter, 1074
AIYAGARI V. *See* Diringer MN, 7
AKAISHI K, HONGO K, OBINATA C, KOBAYASHI S. Pneumoangiogram in a patient with severe head injury. Case illustration, 502
AKPINAR F. *See* Aydinlioglu A, 693
AL-ANAZI A, BERNSTEIN M. Modified stereotactic insertion of the Ommaya reservoir. Technical note, 1050
_____, SHANNON P, GUHA A. Solitary metastasis to the choroid plexus. Case illustration, 506
ALAYASH AI. *See* D'Agnillo F, 899
ALBERSTONE CD, SKIRBOLL SL, BENZEL EC, SANDERS JA, HART BL, BALDWIN NG, TESSMAN CL, DAVIS JT, LEE RR. Magnetic source imaging and brain surgery: presurgical and intraoperative planning in 26 patients, 79
_____, BENZEL EC, SKIRBOLL SL. Magnetic source imaging. Letter, 1080
ALBRIGHT AL. *See* Thompson TP, 718
AL FERAYAN A. *See* Al Wohaibi M, 1065
AL-MEFTY O. *See* Türe U, 676
AL WOHAIBI M, RUSSELL NA, OMOJOLA M, AL FERAYAN A. Tuberculosis of the skull. Case illustration, 1065
AL-YAMANY M, DEL MAESTRO RF. Prevention of subdural fluid collections following transcortical intraventricular and/or paraventricular procedures by using fibrin adhesive, 406
AMAKER BH. *See* Ritter AM, 688
AMMIRATI M. Book review, 507
ANDERMANN F. *See* Bittar RG, 242
ANDERSON GJ. *See* Spektor S, 824
ANDREFSKY JC. Pupils and coma. Letter, 909
ANNO I. *See* Matsumura A, 873
APPLE S. *See* Rosseau G, 738
ARAKI T. *See* Miyagi Y, 711
ARENSON E. *See* Jakacki RI, 255
ARMSTRONG DC. *See* Kulkarni AV, 915
ARNULF I. *See* Bejjani BP, 615
ARPIN EJ. *Walking Out on the Boys*. Letter, 738
ASANO S. *See* Shin M, 1036
ASAOKA K, TADA M, SAWAMURA Y, IKEDA J, ABE H. Dependence of efficient adenoviral gene delivery in malignant glioma cells depends on the expression levels of Coxsackievirus and adenovirus receptor, 1002
ATKINSON JLD. *See* Spinner RJ, 334
AULIAC S. *See* Lehéricy S, 589
AYDINLIOGLU A, CIRAK B, AKPINAR F, TOSUN N, DOGAN A. Bilateral median nerve compression at the level of Struthers' ligament. Case report, 693

BÁBEL T. *See* Hegedüs B, 428
BAKKER SLM. *See* Kros JM, 702
BALDWIN NG. *See* Alberstone CD, 79
BARR JD. *See* Rasmussen PA, 771
BARR WB. *See* Westerveld M, 24
BAŞKAYA MK, DOĞAN A, RAO AM, DEMPSEY RJ. Neuroprotective effects of citicoline on brain edema and blood–brain barrier breakdown after traumatic brain injury, 448
_____. *See* Polin RS, 284
BATAILLE B, DELWAIL V, MENET E, VANDERMARCQ P, INGRAND P, WAGER M, GUY G, LAPIERRE F. Primary intracerebral malignant lymphoma: report of 248 cases, 261
BATCHELOR TT. *See* Quiñones-Hinojosa A, 165
BATTERSBY RDE. *See* Fewings PE, 401
BEJJANI BP, DORMONT D, PIDOUX B, YELNIK J, DAMIER P, ARNULF I, BONNET A-M, MARSAULT C, AGID Y, PHILIPPON J, CORNU P. Bilateral subthalamic stimulation for Parkinson's disease by using three-dimensional stereotactic magnetic resonance imaging and electrophysiological guidance, 615
BEKAR A. *See* Çelik SE, 889
BELAYEV L. *See* Huh PW, 91
BELZBERG AJ. *See* Schwarz J, 342
BENVENISTE H, KIM KR, HEDLUND LW, KIM JW, FRIEDMAN AH. Cerebral hemorrhage and edema following brain biopsy in rats: significance of mean arterial blood pressure, 100
BENZEL EC. *See* Alberstone CD, 79, 1080
BENZIL D. *See* Rosseau G, 738
BERGSNEIDER M, HOLLY LT, LEE JH, KING WA, FRAZEE JG. Endoscopic management of cysticercal cysts within the lateral and third ventricles, 14
BERNSEN HJJA. *See* Jeukin JWM, 652
BERNSTEIN M. *See* Al-Anazi A, 1050
BERRÉ J. *See* Moraine JJ, 606
BITAR A. *See* Lehéricy S, 589
BITTAR RG, OLIVIER A, SADIKOT AF, ANDERMANN F, REUTENS DC. Cortical motor and somatosensory representation: effect of cerebral lesions, 242
_____, PITTO A, REUTENS DC. Somatosensory representation in patients who have undergone hemispherectomy: a functional magnetic resonance study imaging, 45
BLACKLOCK JB. *See* Michael CB, 350
BLAKE LC. *See* Song JK, 955
BOAZ JC. *See* Jakacki RI, 255
BOERMAN RH. *See* Jeukin JWM, 652
BOKSTEIN F. *See* Siegal T, 599
BOLING W. *See* Gross DW, 785
BONAVENTURE J. *See* Renier D, 631
BONNET A-M. *See* Bejjani BP, 615
BOOCK RJ. *See* Pluta RM, 121
BOSCH DA. *See* Versélewel de Witt Hamer PC, 906
BÖTEFÜR IC. *See* Halatsch ME, 297
BOUTSIKAKIS I. *See* Stranjalis G, 189
BOYER PJ. *See* Quiñones-Hinojosa A, 165
BRASSIER G. *See* Morandi X, 890
BRAT D. *See* DiMeco F, 419
BREM H. *See* DiMeco F, 419
BREYER R, HUSSEIN S, RADU DL, PÜTZ KM, GUNIA S, HECKER H, SAMII M, WALTER GF, STAN AC. Disruption of intracerebral progression of rat C6 glioblastoma by in vivo treatment with anti-CD44 monoclonal antibody, 140

Broaddus WC. *See* Ritter AM, 688
Bruce JN. *See* Schwartz TH, 511
Bryant-Greenwood PK. *See* Watson JC, 413
Buist R. *See* Massicotte EM, 442
Bullock R. Brain tissue oxygenation. Letter, 737
Burdach SE. *See* Packer RJ, 249
Burger K. *See* Packer RJ, 249
Burgić N. *See* Stančić MF, 860
Burgunder JM. *See* Loher TJ, 457
Busto R. *See* Huh PW, 91

Caccíola F. *See* Di Lorenzo N, 1070
Çağlar YŞ. *See* Kanpolat Y, 511
Cahill DW. *See* Makoui AS, 355
Cairncross JG. *See* Ino Y, 983
_____. *See* Louis DN, 1081
Capelle L. *See* Lehéricy S, 589
Cardoso A. *See* Rhoton AL Jr, 903
Carlotti CG Jr, Jay V, Rutka JT. Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Carney JA. *See* Watson JC, 413
Carpentier A. *See* Lehéricy S, 589
Carrier D. *See* Fitzgerald LF, 188
Carson BS. *See* Meadows J, 920
Carvalho GA. *See* Samii M, 235
Carvi Y Nievas MN, Höllerhage H-G. Risk of intraoperative aneurysm clip slippage: a new experience with titanium clips. Report of four cases and technical considerations, 478
Casey SO. *See* Nussbaum ES, 881
Cavenee WK. High-grade gliomas wih chromosome 1p loss. Letter, 1080
Çelik SE, Kocaeli H, Cordan T, Bekar A. Trigeminal neuralgia due to cerebellopontine angle lipoma. Case illustration, 889
Cerezal L. *See* Garcífia-Valtuille R, 870
Chang HS, Hongo K, Nakagawa H. Adverse effects of limited hypotensive anesthesia on the outcome of patients with subarachnoid hemorrhage, 971
Chao DL. *See* Rak R, 646
Chelune GJ. *See* Westerveld M, 24
Chen MY. *See* Kouri JG, 1028
Chiocca EA. *See* Harsh GR, 804
_____. *See* Quiñones-Hinojosa A, 165
Chisin R. *See* Siegal T, 599
Chung EC. *See* Song JK, 955
Cirak B. Intracranial hemorrhage and ventriculoperitoneal shunts. Letter, 1073
_____. *See* Aydinlioglu A, 693
Clemenceau S. *See* Lehéricy S, 589
Clifton A. *See* Sethi H, 991
Cloft HJ, Shengelaia G. Transluminal balloon angioplasty for prevention of vasospasm. Letter, 369
Coenen VA. *See* Polin RS, 284
Cogen PH. *See* Packer RJ, 249
Cohen BH. *See* Jakacki RI, 255
Cojocaru T. Book review, 190
Colombo MP. *See* DiMeco F, 419
Colvin M. *See* Harsh GR, 804
Corbett EC Jr, Innes DJ Jr. Undergraduate neuroscience education. Letter, 738
Cordan T. *See* Çelik SE, 889
Cornelius A. *See* Jakacki RI, 255
Cornu P. *See* Bejjani BP, 615
_____. *See* Lehéricy S, 589
Coscarella E, Vishteh AG, Spetzler RF, Seoane E, Zabramski JM. Subfascial and submuscular methods of temporal muscle dissection and their relationship to the frontalis branch of the facial nerve. Technical note, 877
Cosgrove GR. *See* Eskandar EN, 375
Cottrell JE. *See* Hartung J, 508
Counihan TJ. *See* Eskandar EN, 375
Cross DT III. *See* Moran CJ, 510
Cruz J. Brain tissue oxygenation. Letter, 736
Cui J. *See* Pu P, 132
Cummings TJ, McLendon RE. Pineal epidermoid cysts. Letter, 909
Czirják S, Vitanovic D, Slowik F, Magyar A. Primary meningeal melanocytoma of the pineal region. Case report, 461
Czirók A. *See* Hegedüs B, 428
Czosnyka M. *See* Schmidt B, 793

Dacey RG Jr. *See* Diringer MN, 7
Dacey RG Jr. *See* Moran CJ, 510
Dagher A. *See* Mendez I, 493, 863
D'Agnillo F, Alayash AI. Oxyhemoglobin and apoptosis. Letter, 899
Damier P. *See* Bejjani BP, 615
Darvesh S. *See* Mendez I, 863
Davis JT. *See* Alberstone CD, 79
Davis KD, Taub E, Duffner F, Lozano AM, Tasker RR, Houle S, Dostrovsky JO. Activation of the anterior cingulate cortex by thalamic stimulation in patients with chronic pain: a positron emission tomography study, 64
de Matas M, Francis P, Miles JB. Microvascular decompression for trigeminal neuralgia in Charcot-Marie-Tooth disease. Report of three cases, 715
Deibert E. *See* Diringer MN, 7
Deisboeck TS. *See* Harsh GR, 804
Del Bigio MR. *See* Massicotte EM, 442
Del Maestro R. Origin of the Drake fenestrated aneurysm clip. Historical vignette, 1056
Del Maestro RF. *See* Al-Yamany M, 406
Delashaw JB Jr. Book review, 891
_____. *See* Spektor S, 824
Delwail V. *See* Bataille B, 261
Dempsey RJ. *See* Başkaya MK, 448
Dervin J. *See* Sethi H, 991
Desrosiers J. *See* Mendez I, 493, 863
Devonshire V. *See* Zed PJ, 347
Dillon W. *See* Manley GT, 469
Di Lorenzo N, Cacciola F. Pathophysiology of syringomyelia. Letter, 1069
Dilouya A. *See* Piketty ML, 368
DiMeco F, Rhines LD, Hanes J, Tyler BM, Brat D, Torchiana E, Guarnieri M, Colombo MP, Pardoll DM, Finocchiaro G, Brem H, Olivi A. Paracrine delivery of IL-12 against intracranial 9L gliosarcoma in rats, 419
Diren B. *See* Erdem A, 733
Diringer MN, Yundt K, Videen TO, Adams RE, Zazulia AR, Deibert E, Aiyagari V, Dacey RG Jr, Grubb RL Jr, Powers WJ. No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury, 7
_____. *See* Moran CJ, 510
Dirks PB. *See* Kulkarni AV, 915
Doğan A. *See* Başkaya MK, 448
_____. *See* Aydinlioglu A, 693
Döhring W. See Firsching R, 897
Dohse N-K. *See* Stover JF, 853
Dormont D. *See* Bejjani BP, 615
Dostrovsky JO. *See* Davis KD, 64
Dowd CF. *See* Malek AM, 481
Drake CG. *See* Lownie SP, 267
Drake J. *See* Tuli S, 31
Drake JM. *See* Kulkarni AV, 915
Duffau H. *See* Lehéricy S, 589
Duffner F. *See* Davis KD, 64
Duggal N. *See* Hammond RR, 722

Eguchi T. *See* Shin M, 490
El Ghouzzi V. *See* Renier D, 631

Index

ELLIOTT JP. *See* Newell DW, 510
_____. *See* Song JK, 955
ERDEM A, UĞUR HÇ, DIREN B. False-positive findings on magnetic resonance imaging mimicking vestibular schwannoma. Case illustration, 733
ESKANDAR EN, SHINOBU LA, PENNEY JB JR, COSGROVE GR, COUNIHAN TJ. Stereotactic pallidotomy performed without using microelectrode guidance in patients with Parkinson's disease: surgical technique and 2-year results, 375
ESKRIDGE JE. *See* Newell DW, 510
ESKRIDGE JM. *See* Song JK, 955
EVANS AJ. *See* Makoui AS, 355
EWEND MG. *See* Weaver KD, 363
EXECUTIVE COMMITTEE OF THE INTERNATIONAL SELFOTEL TRIAL T. *See* Juul N, 1

FAHLBUSCH R. *See* Ganslandt O, 1079
FAZEKAS I. *See* Hegedüs B, 428
FELDSTEIN NA. *See* Schwartz TH, 511
FERGUSON GG. *See* Lownie SP, 267
FEWINGS PE, BATTERSBY RDE, TIMPERLEY WR. Long-term follow up of progesterone receptor status in benign meningioma: a prognostic indicator of recurrence? 401
FINCH L. *See* Song JK, 955
FINE AD. *See* Rhoton AL Jr, 903
FINKELSTEIN D. *See* Harsh GR, 804
FINOCCHIARO G. *See* DiMeco F, 419
FIRAT MM. *See* Mut M, 706
FIRSCHING R, WOISCHNECK D, KLEIN S, REISSBERG S, DÖHRING W. Magnetic resonance imaging and brainstem injury. Letter, 897
FITZGERALD LF, SANDLIN M, CARRIER D, GROSSMAN RG. Spontaneous intracranial hypotension: myelographic findings. Case illustration, 188
FLEMMING KD, JOSEPHS K, WIJDICKS EFM. Enlarging vertebrobasilar dolichoectasia with subarachnoid hemorrhage heralded by recurrent ischemia. Case illustration, 504
FLICKINGER JC. *See* Maesawa S, 961
FOGEL W. *See* Tronnier VM, 453
FOWLER M. *See* Vannemreddy PSSV, 161
FRANCIS P. *See* de Matas M, 715
FRANSEN P. Cyst of the transverse ligament. Letter, 1068
FRANZ D. *See* Papavasiliou AK, 291
FRAZEE JG. *See* Bergsneider M, 14
FRIEDLANDER RM. *See* Quiñones-Hinojosa A, 165
FRIEDMAN AH. *See* Benveniste H, 100
FRIEND KE. *See* McCutcheon IE, 306
FRIM DM, GOUMNEROVA LC. In vivo intracranial pressure dynamics in patients with hydrocephalus treated by shunt insertion, 927
FUKAYA C, KATAYAMA Y, YAMAMOTO T. Intraoperative monitoring of electrooculograms. Letter, 1078
FUKUI M. *See* Ueno M, 907
FULLER GN. *See* Lal S, 326
_____. *See* McCutcheon IE, 306
FURLAN AJ. *See* Rasmussen PA, 771
FURUTA T. *See* Tamiya T, 170

GAAB M, SCHROEDER H. Endoscopic approach. Letter, 1073
GANSLANDT O, NIMSKY C, FAHLBUSCH R. Magnetic source imaging. Letter, 1079
GARCÍFIA-VALTUILLE AI. *See* Garcífia-Valtuille R, 870
GARCÍFIA-VALTUILLE R, ABASCAL F, GARCÍFIA-VALTUILLE AI, PINTO JI, CEREZAL L, SANZ F, TRIGUEROS F, MAZORRA F. Adult choroid plexus papilloma of the posterior fossa mimicking a hemangioblastoma. Case report, 870
GAUDET P. *See* Mendez I, 863
GERDES TM. *See* McCutcheon IE, 306
GERMANO I. *See* Rosseau G, 738
GERSTNER W. *See* Schmidt B, 793
GHIKA J, GHIKA-SCHMID F, VINGERHOETS F. Bilateral pallidotomy. Letter, 509
GHIKA-SCHMID F. *See* Ghika J, 509
GILHUIS HJ. *See* Jeukin JWM, 652
GINSBERG MD. *See* Huh PW, 91
GIRVIN JP. *See* Hammond RR, 722
GLICK R. *See* Rosseau G, 738
GNANASEELAN T. *See* Muthukumar N, 626
GODEY B. *See* Morandi X, 890
GOLDNER RD. *See* Spinner RJ, 52
GOMORI JM. *See* Siegal T, 599
GONDA T. *See* Papavasiliou AK, 291
GONDO K. *See* Ueno M, 907
GOODMAN RR. *See* Schwartz TH, 511
GOTMAN J. *See* Gross DW, 785
GOUMNEROVA LC. *See* Frim DM, 927
GRACE GM. *See* Kubu CS, 384
GRAHAM RS. *See* Ritter AM, 688
GROSS DW, MERLET I, BOLING W, GOTMAN J. Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
GROSSMAN RG. *See* Fitzgerald LF, 188
GRUBB RL JR. *See* Diringer MN, 7
GRZYSKA U. *See* Westphal M, 995
GUARNIERI M. *See* DiMeco F, 419
_____. *See* Meadows J, 920
GUHA A. *See* Al-Anazi A, 506
GUNIA S. *See* Breyer R, 140
GUY G. *See* Bataille B, 261

HALATSCH ME, SCHMIDT U, BÖTEFÜR IC, HOLLAND JF, OHNUMA T. Marked inhibition of glioblastoma target cell tumorigenicity in vitro by retrovirus-mediated transfer of a hairpin ribozyme against epidermal growth factor messenger RNA, 297
HALBACH VV. *See* Malek AM, 481
HAMADA JI, YANO S, KAI Y, KOGA K, MORIOKA M, ISHIMARU Y, USHIO Y. Histopathological study of venous aneurysms in patients with dural arteriovenous fistulas, 1023
HAMASAKI S. *See* Tamiya T, 170
HAMMOND RR, DUGGAL N, WOULFE JMJ, GIRVIN JP. Malignant transformation of a dysembryoplastic neuroepithelial tumor. Case report, 722
HANES J. *See* DiMeco F, 419
HANS VHJ. *See* Simon M, 832
HANSEN CA. *See* Polin RS, 284
HARA T. *See* Ueno M, 907
HARBAUGH RE. *See* Papavasiliou AK, 291
HAROUN R. *See* Meadows J, 920
HARPER CM JR. *See* Spinner RJ, 334
HARSH GR, DEISBOECK TS, LOUIS DN, HILTON J, COLVIN M, SILVER JS, QURESHI NH, KRACHER J, FINKELSTEIN D, CHIOCCA EA, HOCHBERG FH. Thymidine kinase activation of ganciclovir in recurrent malignant gliomas: a gene-marking and neuropathological study, 804
HART BL. *See* Alberstone CD, 79
HARTUNG J, COTTRELL JE. Tirilazad and subarachnoid hemorrhage. Letter, 508
HARVEY-WHITE J. *See* Pluta RM, 121
HASDEMIR MG. *See* Loher TJ, 457
HASEGAWA H. *See* Nakajima Y, 697
HASEGAWA T. *See* Tanaka M, 338
HASELSBERGER K. *See* Unger F, 726
HASHIMOTO H, IIDA JI, HIRONAKA Y, OKADA M, SAKAKI T. Use of spiral computerized tomography angiography in patients with subarachnoid hemorrhage in whom subtraction angiography did not reveal cerebral aneurysms, 278
HASHIMOTO N. *See* Hong L, 315
HEBB A. *See* Mendez I, 863
HECHT S. *See* Muizelaar JP, 370

HECKER H. *See* Breyer R, 140
HEDLUND LW. *See* Benveniste H, 100
HEGEDÜS B, CZIRÓK A, FAZEKAS I, BÁBEL T, MADARÁSZ E, VICSEK T. Locomotion and proliferation of glioblastoma cells in vitro: statistical evaluation of videomicroscopic observations, 428
HEILMAN D. *See* Jakacki RI, 255
HEISS JD, OLDFIELD EH. Pathophysiology of syringomyelia. Letter, 1071
HERESBACH N. *See* Morandi X, 890
HERMANN BP. *See* Westerveld M, 24
HIGASHIDA RT. *See* Malek AM, 481
HIGUCHI O. *See* Hyodo A, 503
HILDEN J. *See* Jakacki RI, 255
HILTON J. *See* Harsh GR, 804
HIRANO SI. *See* Saitoh Y, 150
HIRATA M. *See* Saitoh Y, 150
HIRAYAMA T. *See* Oshima H, 949
HIRONAKA Y. *See* Hashimoto H, 278
HIROSE T. *See* Tanaka M, 338
HOCHBERG FH. *See* Harsh GR, 804
HODOSH RM. *See* Patel RB, 362
HOFF JT. *See* Hua Y, 1016
HOLLAND JF. *See* Halatsch ME, 297
HÖLLERHAGE H-G. *See* Carvi Y Nievas MN, 478
HOLLY LT. *See* Bergsneider M, 14
HOLMIN S, MATHIESEN T. Intracerebral administration of interleukin-1β and induction of inflammation, apoptosis and vasogenic edema, 108
HONDA Y. *See* Oi S, 933
HONEY CR, OBOCHI MOK, SHEN H, MARGARON P, YIP S, LEVY JG. Reduced xenograft rejection in rat striatum after pretransplant photodynamic therapy of murine neural xenografts, 127
HONG L, TABATA Y, MIYAMOTO S, YAMAMOTO M, YAMADA K, HASHIMOTO N, IKADA Y. Bone regeneration at rabbit skull defects treated with transforming growth factor–β1 incorporated into hydrogels with different levels of biodegradability, 315
HONG M. *See* Mendez I, 493, 863
HONGO K. *See* Akaishi K, 502
_____. *See* Chang HS, 971
HOOVER DA. *See* O'Leary ST, 801
HORGAN MA. *See* Spektor S, 824
HORNIG GW. Flushing in relation to possible rise in intracranial pressure: documentation of an unusual clinical sign. Report of five cases, 1040
HOSHIMARU M. Moyamoya disease and transforming growth factor–β1. Letter, 908
HÖSS N. *See* Matheja P, 732
HOUKIN K, KURODA S. Digital recording in microsurgery. Technical note, 176
HOULE S. *See* Davis KD, 64
HOWINGTON JU. *See* Spinner RJ, 500
HOWLETT W. *See* Yang Y, 841
HUA Y, XI G, KEEP RF, HOFF JT. Complement activation in the brain after experimental intracerebral hemorrhage, 1016
HUH PW, BELAYEV L, ZHAO W, KOCH S, BUSTO R, GINSBERG MD. Comparative neuroprotective efficacy of prolonged moderate intraischemic and postischemic hypothermia in focal cerebral ischemia, 91
HUNT CD, VAICYS C. Spontaneous resolution of a sphenoid sinus encephalocele. Case illustration, 501
HUSSEIN S. *See* Breyer R, 140
HUSTON J III. *See* Pollock BE, 905, 906
HYODO A, YANAKA K, HIGUCHI O, TOMONO Y, NOSE T. Giant interdural cavernous hemangioma at the convexity. Case illustration, 503
_____. *See* Tsurushima H, 509
HYSELL SE. *See* O'Leary ST, 801

IAI S. *See* Shin M, 490
IHARA K. *See* Ueno M, 907
IIDA J-I. *See* Hashimoto H, 278
IKADA Y. *See* Hong L, 315
IKEDA J. *See* Asaoka K, 1002
INGRAND P. *See* Bataille B, 261
INNES DJ JR. *See* Corbett EC Jr, 738
INO Y, ZLATESCU MC, SASAKI H, MACDONALD DR, STEMMER-RACHAMIMOV AO, JHUNG S, RAMSAY DA, VON DEIMLING A, LOUIS DN, CAIRNCROSS JG. Long survival and therapeutic responses in patients with histologically disparate high-grade gliomas demonstrating chromosome 1p loss, 983
_____. *See* Louis DN, 1081
INOUE T. *See* Ueno M, ML
ISHIDO K. *See* Miyagi Y, 711
ISHIKAWA E. *See* Matsumura A, 873
ISHIMARU Y. *See* Hamada JI, 1023
ITAKURA T. *See* Nakao N, 659
IWAKI T. *See* Miyagi Y, 711

JAKACKI RI, COHEN BH, JAMISON C, MATHEWS VP, ARENSON E, LONGEE DC, HILDEN J, CORNELIUS A, NEEDLE M, HEILMAN D, BOAZ JC, LUERSSEN TG. Phase II evaluation of interferon α–2a for progressive or recurrent craniopharyngiomas, 255
JAMISON C. *See* Jakacki RI, 255
JAY V. *See* Carlotti CG Jr, 156
JEUKIN JWM, SPRENGER SHE, WESSELING P, BERNSEN HJJA, SUIJKERBUIJK RF, ROELOFS F, MACVILLE MVE, GILHUIS HJ, VAN OVERBEEKE JJ, BOERMAN RH. Genetic reflection of glioblastoma biopsy material in xenografts: characterization of 11 glioblastoma xenograft lines by comparative genomic hybridization, 652
JEWESSON PJ. *See* Zed PJ, 347
JHUNG S. *See* Ino Y, 983
JOSEPHS K. *See* Flemming KD, 504
JUPITER JB. *See* Spinner RJ, 52
JUUL N, MORRIS GF, MARSHALL SB, EXECUTIVE COMMITTEE OF THE INTERNATIONAL SELFOTEL TRIAL T, MARSHALL LF. Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury, 1
JUVELA S. Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage, 390

KAI Y. *See* Hamada J-I, 1023
KAJIMOTO Y. *See* Miyake H, 181
KAKIUCHI T. *See* Yamamoto S, 1009
KAMIKASEDA K. *See* Miyagi Y, 711
KAN M. *See* Komiyama M, 365
KANAL E. *See* Thompson TP, 1069
KANPOLAT Y, ÇAĞLAR YŞ. Third ventriculostomy. Letter, 511
KAPCALA LP. *See* Packer RJ, 249
KARANTANAS A, PATERAKIS K. Magnetic resonance imaging and brainstem injury. Letter, 896
KARIBE H, SHIMIZU H, TOMINAGA T, KOSHU K, YOSHIMOTO T. Diffusion-weighted magnetic resonance imaging in the early evaluation of corticospinal tract injury to predict functional motor outcome in patients with deep intracerebral hemorrhage, 58
KASSELL NF. *See* Lanzino G, 508
_____. *See* Polin RS, 284
_____. *See* Toyoda T, 435
KATAYAMA Y. *See* Fukaya C, 1078
_____. *See* Oshima H, 949
KATZAN I. *See* Rasmussen PA, 771
KAWAGUCHI K. *See* Ohtakara K, 1045
KEEP RF. *See* Hua Y, 1016
KELLOGG JX. *See* Spektor S, 824
KIKUCHI M. *See* Nakai K, 671
KIM JW. *See* Benveniste H, 100
KIM KR. *See* Benveniste H, 100
KIM SC. *See* Kumon Y, 848

Index

KIMURA H. *See* Matsumura A, 873
KING D. *See* Mendez I, 863
KING WA. *See* Bergsneider M, 14
KIRA R. *See* Ueno M, 907
KIRINO T. *See* Nishihara T, 1053
_____. *See* Shin M, 1036
KIRSCHNER LS. *See* Watson JC, 413
KLEIN S. *See* Firsching R, 897
KLINE DG. *See* Spinner RJ, 500
KLINGELHÖFER J. *See* Schmidt B, 793
KOBAYASHI S. *See* Akaishi K, 502
_____. *See* Kyoshima K, 488
KOCAELI H. *See* Çelik SE, 889
KOCH CA. *See* Watson JC, 413
KOCH S. *See* Huh PW, 91
KOCHI M. *See* Kuratsu J-I, 766
KODAMA N. *See* Sasaki T, 1077
KOGA K. *See* Hamada J-I, 1023
KOHGA H. *See* Tosaka M, 361
KOJIMA T. *See* Ohtakara K, 1045
KOLE MK. *See* O'Leary ST, 801
KOMIYAMA M, MORIKAWA T, YASUI T. Densely calcified anterior cerebral arteries. Case illustration, 364
_____, YAMANAKA K, YASUI T, KAN M. Increased intracranial pressure resulting in a pulsatile aneurysm. Case illustration, 365
KONDZIOLKA D. *See* Maesawa S, 961
_____. *See* Thompson TP, 718
KONTOGEORGOS G. *See* Thodou E, 976
KÖRNER E. *See* Unger F, 726
KOSHU K. *See* Karibe H, 58
KOURI JG, CHEN MY, WATSON JC, OLDFIELD EH. Resection of suprasellar tumors by using a modified transsphenoidal approach. Report of four cases, 1028
KRACHER J. *See* Harsh GR, 804
KRAUSS JK. *See* Loher TJ, 457
KRAUT M. *See* Meadows J, 920
KRETH FW. *See* Zausinger SN, 905
KRIEGER D. *See* Rasmussen PA, 771
KROS JM, VAN DEN BERGE H, TANGHE HLJ, BAKKER SLM. Right temporal lobe glioblastoma presenting in the left orbit, 702
KUBO T. *See* Saitoh Y, 505
KUBU CS, GRACE GM, PARRENT AG. Cognitive outcome following pallidotomy: the influence of side of surgery and age of patient at disease onset, 384
KUGA Y. *See* Ohtakara K, 1045
KULKARNI AV, DRAKE JM, ARMSTRONG DC, DIRKS PB. Imaging correlates of successful endoscopic third ventriculostomy, 915
KUMON Y, KIM SC, TOMPKINS P, STEVENS A, SAKAKI S, LOFTUS CM. Neuroprotective effect of postischemic administration of progesterone in spontaneously hypertensive rats with focal cerebral ischemia, 848
KURATSU JI, KOCHI M, USHIO Y. Incidence and clinical features of asymptomatic meningiomas, 766
KURODA S. *See* Houkin K, 176
KWARTLER JA. *See* Patel RB, 362
KYOSHIMA K, OIKAWA S, KOBAYASHI S. Interdural origin of the ophthalmic artery at the dural ring of the internal carotid artery. Report of two cases, 488

LACROIX M. *See* Lal S, 326
LAFOND D. *See* Packer RJ, 249
LAJEUNIE E. *See* Renier D, 631
LAL S, LACROIX M, TOFILON P, FULLER GN, SAWAYA R, LANG FF. An implantable guide-screw system for brain tumor studies in small animals, 326
LAMBERTI-PASCULLI M. *See* Tuli S, 31
LANG FF. *See* Lal S, 326
LANZINO G, KASSELL NF. Tirilazad and subarachnoid hemorrhage. Letter, 508
LAPIERRE F. *See* Bataille B, 261
LATRONICO N. Pupils and coma. Letter, 908
LAW A. *See* Mendez I, 863
LAWLESS J. *See* Tuli S, 31
LAWS ER JR. *See* Thodou E, 976
LE MERRER M. *See* Renier D, 631
LEE AG. *See* Michael CB, 350
LEE JH. *See* Bergsneider M, 14
LEE KS. *See* Toyoda T, 435
LEE RR. *See* Alberstone CD, 79
LEHÉRICY S, DUFFAU H, CORNU P, CAPELLE L, PIDOUX B, CARPENTIER A, AULIAC S, CLEMENCEAU S, SICHEZ JP, BITAR A, VALERY CA, VAN EFFENTERRE R. Correspondence between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: comparison with intraoperative stimulation in patients with brain tumors, 589
LEHMAN RM. Bilateral pallidotomy. Letter, 509
LEKKA I. *See* Thodou E, 976
LEMPERT TE. *See* Malek AM, 481
LEUENROTH S. *See* Simon M, 832
LEVY E. *See* Thompson TP, 1069
LEVY JG. *See* Honey CR, 127
LEWIS AI. *See* Zimmerman G, 39
LI Q. *See* Yang Y, 841
LIU A. *See* Pu P, 132
LIU X. *See* Pu P, 132
LOFTUS CM. *See* Kumon Y, 848
LOHER TJ, HASDEMIR MG, BURGUNDER JM, KRAUSS JK. Long-term follow-up study of chronic globus pallidus internus stimulation for posttraumatic hemidystonia. Case report, 457
LONG DM. *See* Sampath P, 70
LONGEE DC. *See* Jakacki RI, 255
LÖNING T. *See* Simon M, 832
LORING DW. *See* Westerveld M, 24
LOSSOS A. *See* Siegal T, 599
LOUIS DN, INO Y, CAIRNCROSS JG. High-grade gliomas with chromosome *1p* loss. Letter, 1081
_____. *See* Harsh GR, 804
_____. *See* Ino Y, 983
LOWNIE SP, DRAKE CG, PEERLESS SJ, FERGUSON GG, PELZ DM. Clinical presentation and management of giant anterior communicating artery region aneurysms, 267
LOZANO AM. *See* Davis KD, 64
LUERSSEN TG. *See* Jakacki RI, 255
LUMENTA CB. *See* Schmidt B, 793
LUNSFORD LD. *See* Maesawa S, 961
_____. *See* Thompson TP, 1069

MACDONALD DR. *See* Ino Y, 983
MACSWEENEY JE. *See* Sethi H, 991
MACVILLE MVE. *See* Jeukin JWM, 652
MADARÁSZ E. *See* Hegedüs B, 428
MADISON MT. *See* Nussbaum ES, 881
MAESAWA S, FLICKINGER JC, KONDZIOLKA D, LUNSFORD LD. Repeated radiosurgery for incompletely obliterated arteriovenous malformations, 961
MAGER JJ. *See* Willemse RB, 779
MAGNADOTTIR HB. *See* Papavasiliou AK, 291
MAGYAR A. *See* Czirják S, 461
MAKOUI AS, SMITH DA, EVANS AJ, CAHILL DW. Early aneurysm recurrence after technically satisfactory Guglielmi detachable coil therapy: is early surveillance needed? 355
MALASSY MJA, THOMEER TRWM. Nerve transfer. Letter, 1069
MALEK AM, HIGASHIDA RT, HALBACH VV, DOWD CF, PHATOUROS CC, LEMPERT TE, MEYERS PM, SMITH WS, STONEY R. Patient presentation; angiographic features, and treatment of strangulation-induced dissection of the internal carotid artery, 481
MALINER L. Iatrogenic pneumocephalus. Letter, 1069
MALIS L. Gamma Surgery for vestibular schwannoma. Letter, 894
MANLEY GT, DILLON W. Acute posterior fossa syndrome following lumbar drainage for treatment of suboccipital pseudomeningocele. Report of three cases, 469

MANTLE RE. Meningioma recurrence. Letter, 898
MARAVILLA KR. *See* Song JK, 955
MARGARON P. *See* Honey CR, 127
MARIATOS P. *See* Thodou E, 976
MARKARIAN GZ. *See* Rasmussen PA, 771
MARRA F. *See* Zed PJ, 347
MARSAULT C. *See* Bejjani BP, 615
MARSHALL LF. Cerebral perfusion pressure or intracranial pressure? Letter, 191
_____. *See* Juul N, 1
MARSHALL SB. *See* Juul N, 1
MARUNO M. *See* Nakajima Y, 697
MASARYK TJ. *See* Rasmussen PA, 771
MASHIMO T. *See* Saitoh Y, 150
MASSICOTTE EM, BUIST R, DEL BIGIO MR. Altered diffusion and perfusion in hydrocephalic rat brain: a magnetic resonance imaging analysis, 442
MATHEJA P, RICKERT C, WECKESSER M, HÖSS N, SCHOBER O. Scintigraphic pitfall: delayed radionecrosis. Case illustration, 732
MATHEWS VP. *See* Jakacki RI, 255
MATHIESEN T. *See* Holmin S, 108
MATSUDA M. *See* Nakasu S, 897
MATSUMOTO K. *See* Tamiya T, 170
MATSUMURA A, ANNO I, KIMURA H, ISHIKAWA E, NOSE T. Diagnosis of spontaneous intracranial hypotension by using magnetic resonance myelography. Case report, 873
MATSUSHIMA T. *See* Ueno M, 907
MATTHIES C. *See* Samii M, 892
MAUGANS TA. Book review, 1066
MAUSER H. *See* Willemse RB, 779
MAZORRA F. *See* Garcífia-Valtuille R, 870
MCCOMB JG. *See* Packer RJ, 249
MCCUTCHEON IE, FRIEND KE, GERDES TM, ZHANG BM, WILDRICK DM, FULLER GN. Intracranial injection of human meningioma cells in athymic mice: an orthotopic model for meningioma growth, 306
MCLENDON RE. *See* Cummings TJ, 909
MCMENOMEY SO. *See* Spektor S, 824
MEADOWS J, KRAUT M, GUARNIERI M, HAROUN RI, CARSON BS. Asymptomatic Chiari Type I malformations identified on magnetic resonance imaging, 920
MÉLOT C. *See* Moraine JJ, 606
MENDEZ I, DAGHER A, HONG M, HEBB A, GAUDET P, LAW A, WERASINGHE S, KING D, DESROSIERS J, DARVESH S, ACORN T, ROBERTSON H. Enhancement of survival of stored dopaminergic cells and promotion of graft survival by exposure of human fetal nigral tissue to glial cell line–derived neurotrophic factor in patients with Parkinson's disease. Report of two cases and technical considerations, 863
_____, HONG M, SMITH S, DAGHER A, DESROSIERS J. Neural transplantation cannula and microinjector system: experimental and clinical experience. Technical note, 493
MENET E. *See* Bataille B, 261
MERLET I. *See* Gross DW, 785
MEYERS PM. *See* Malek AM, 481
MICHAEL CB, LEE AG, PATRINELY JR, STAL S, BLACKLOCK JB. Visual loss associated with fibrous dysplasia of the anterior skull base. Case report and review of the literature, 350
MIĆOVIĆ V. *See* Stančiá MF, 860
MILBURN JM. *See* Moran CJ, 510
MILES JB. *See* de Matas M, 715
MITCHELL JB. *See* Rak R, 646
MIYAGI Y, SUZUKI SO, IWAKI T, ISHIDO K, ARAKI T, KAMIKASEDA K. Magnetic resonance appearance of multiple intracranial epidermoid cysts: intrathecal seeding of the cysts? Case report, 711
MIYAKE H, OHTA T. Modification of a nasal speculum for transsphenoidal surgery. Technical note, 359
_____, _____, KAJIMOTO Y, NAGAO K. New concept for the pressure setting of a programmable pressure valve and measurement of in vivo shunt flow performed using microflow meter. Technical note, 181
MIYAMOTO S. *See* Hong L, 315
MIYASHITA H. *See* Yang Y, 841
MOORE A. *See* Sethi H, 991
MORAINE JJ, BERRÉ J, MÉLOT C. Is cerebral perfusion pressure a major determinant of cerebral blood flow during head elevation in comatose patients with severe intracranial lesions? 606
MORAN CJ, CROSS DT III, DIRINGER MN, MILBURN JM, DACEY RG JR. Papaverine and vasospasm. Letter, 510
MORANDI X, GODEY B, RIFFAUD L, HERESBACH N, BRASSIER G. Isolated Rosai–Dorfman disease of the fourth ventricle. Case illustration, 890
MORIKAWA T. *See* Komiyama M, 364
MORIMOTO Y. *See* Nakai K, 671
MORIOKA M. *See* Hamada J-I, 1023
MORITA A. *See* Nishihara T, 1053
_____. *See* Shin M, 1036
MORIYA T. *See* Suzuki Y, 466
MORRIS GF. *See* Juul N, 1
MUIZELAAR JP, ZWIENENBERG M, RUDISILL N, HECHT S. Transluminal balloon angioplasty for prevention of vasospasm. Letter, 370
MURAKAMI M. *See* Tosaka M, 361
MURAO K. *See* Ohtakara K, 1045
MURASZKO K. *See* Rosseau G, 738
MUSSI ACM, RHOTON AL JR. Telovelar approach to the fourth ventricle: microsurgical anatomy, 812
MUT M, SÖYLEMEZOĞLU F, FIRAT MM, PALAOĞLU S. Intraparenchymal meningioma originating from underlying meningioangiomatosis. Case report and review of the literature, 706
MUTHUKUMAR N, SUBRAMANIAM B, GNANASEELAN T, RATHINAM R, THIRUTHAVADOSS A. Tethered cord syndrome in children with anorectal malformations, 626

NAGAO K. *See* Miyake H, 181
NAKAGAWA H. *See* Chang HS, 971
NAKAI K, MORIMOTO Y, WADA K, NAWASHIRO H, SHIMA K, KIKUCHI M. Pretreatment with continuous-wave ultraviolet irradiation to prevent the development of delayed vasospasm in the rabbit common carotid artery model, 671
_____. *See* Nakao N, 659
NAKAJIMA Y, YOSHIMINE T, OGAWA M, TAKANASHI M, NAKAMUTA K, MARUNO M, HASEGAWA H, YOKOTA J. A giant intracranial mucocele associated with an orbitoethmoidal osteoma. Case report, 697
NAKAMUTA K. *See* Nakajima Y, 697
NAKANISHI Y. *See* Tanaka M, 338
NAKAO N, YOKOTE H, NAKAI K, ITAKURA T. Promotion of survival and regeneration of nigral dopamine neurons in a rat model of Parkinson's disease after implantation of embryonal carcinoma–derived neurons genetically engineered to produce glial cell line–derived neurotrophic factor, 659
NAKASU S, NAKASU Y, MATSUDA M. Meningioma recurrence. Letter, 897
NAKASU Y. *See* Nakasu S, 897
NANDA A. *See* Polin RS, 284
_____. *See* Vannemreddy PSSV, 161
NATAF F. *See* Piketty ML, 368
NAWASHIRO H. Cyst of the transverse ligament. Letter, 1068
_____. *See* Nakai K, 671
NEEDLE M. *See* Jakacki RI, 255
NEWELL DW, ELLIOTT JP, ESKRIDGE JE, WINN HR. Papaverine and vasospasm. Letter, 510
NGUYEN T. *See* Watson JC, 413
NIAKAN C. *See* Song JK, 955
NIMSKY C. *See* Ganslandt O, 1079
NISHIHARA T, TERAOKA A, MORITA A, UEKI K, TAKAI K, KIRINO T. A transparent sheath for endoscopic surgery and its application in surgical evacuation of spontaneous intracerebral hematomas. Technical note, 1053
_____. *See* Shin M, 490
NISHIZAWA S. *See* Yamamoto S, 1009
NOMURA K. *See* Tanaka M, 338
NOSE T. *See* Hyodo A, 503

_____. *See* Matsumura A, 873

NUSSBAUM ES, CASEY SO, SEBRING LA, MADISON MT. Use of gadolinium as an intraarterial contrast agent in digital subtraction angiography of the cervical carotid arteries and intracranial circulation. Technical note, 881

OBINATA C. *See* Akaishi K, 502

OBOCHI MOK. *See* Honey CR, 127

O'DRISCOLL SW. *See* Spinner RJ, 52

OGAWA M. *See* Nakajima Y, 697

OHMOTO T. *See* Tamiya T, 170

OHNUMA T. *See* Halatsch ME, 297

OHTA T. *See* Miyake H, 181, 359

OHTAKARA K, MURAO K, KAWAGUCHI K, KUGA Y, KOJIMA T, TAKI W, WAGA S. Selective transvenous liquid embolization of a Type 1 dural arteriovenous fistula at the junction of the transverse and sigmoid sinuses. Case report, 1045

OI S, SHIMODA M, SHIBATA M, HONDA Y, TOGO K, SHINODA M, TSUGANE R, SATO O. Pathophysiology of long-standing overt ventriculomegaly in adults, 933

OIKAWA S. *See* Kyoshima K, 488

OKADA M. *See* Hashimoto H, 278

OLDFIELD EH. *See* Heiss JD, 1071

_____. *See* KOURI JG, 1028

_____. *See* Pluta RM, 121

_____. *See* Rak R, 646

_____. *See* Watson JC, 413

O'LEARY ST. Book review, 366

_____, KOLE MK, HOOVER DA, HYSELL SE, THOMAS A, SHAFFREY CI. Efficacy of the Ghajar Guide revisited: a prospective study, 801

OLIVI A. *See* DiMeco F, 419

OLIVIER A. *See* Bittar RG, 242

OMOJOLA M. *See* Al Wohaibi M, 1065

ONO Y. *See* Tamiya T, 170

OSHIMA H, KATAYAMA Y, HIRAYAMA T. Intracerebral steal phenomenon associated with global hyperemia in moyamoya disease during revascularization surgery, 949

OSHIMA K. *See* Saitoh Y, 505

OVERTOOM TTC. *See* Willemse RB, 779

OYESIKU N. Book review, 734

PACKER RJ, RAFFEL C, VILLABLANCA JG, TONN JC, BURDACH SE, BURGER K, LAFOND D, MCCOMB JG, COGEN PH, VEZINA G, KAPCALA LP. Treatment of progressive or recurrent pediatric malignant supratentorial brain tumors with *herpes simplex virus thymidine kinase* gene vector–producer cells followed by intravenous ganciclovir administration, 249

PALAOĞLU S. *See* Mut M, 706

PALMA L. Pathophysiology of syringomyelia. Letter, 1071

PAPAVASILIOU AK, MAGNADOTTIR HB, GONDA T, FRANZ D, HARBAUGH RE. Clinical outcomes after carotid endarterectomy: comparison of the use of regional and general anesthetics, 291

PARDOLL DM. *See* DiMeco F, 419

PARK T-W. *See* Simon M, 832

PARKINSON D. Extradural neural axis compartment, 585

PARRENT AG. *See* Kubu CS, 384

PATEL RB, KWARTLER JA, HODOSH RM. Bone wax as a cause of foreign body granuloma in the cerebellopontine angle. Case illustration, 362

PATERAKIS K. *See* Karantanas A, 896

PATRINELY JR. *See* Michael CB, 350

PAYNE BR, PRASAD D, SZEIFERT G, STEINER M, STEINER L. Gamma surgery for intracranial metastases from renal cell carcinoma, 760

PEERLESS SJ. *See* Lownie SP, 267

PELZ DM. *See* Lownie SP, 267

PENDL G. *See* Unger F, 726

PENNEY JB JR. *See* Eskandar EN, 375

PERL J II. *See* Rasmussen PA, 771

PERRINE K. *See* Westerveld M, 24

PHATOUROS CC. *See* Malek AM, 481

PHILIPPON J. *See* Bejjani BP, 615

PIDOUX B. *See* Bejjani BP, 615

_____. *See* Lehéricy S, 589

PIKETTY ML, NATAF F, DILOUYA A, ROUX FX. High prolactin level. Letter, 368

PINTO JI. *See* Garcífia-Valtuille R, 870

PLOIER R. *See* Unger F, 726

PLUTA RM, AFSHAR JKB, THOMPSON BG, BOOCK RJ, HARVEY-WHITE J, OLDFIELD EH. Increased cerebral blood flow but no reversal or prevention of vasospasm in response to L-arginine infusion after subarachnoid hemorrhage, 121

_____. *See* Rak R, 646

POLIN RS, COENEN VA, HANSEN CA, SHIN P, BASKAYA MK, NANDA A, KASSELL NF. Efficacy of transluminal angioplasty for the management of symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 284

_____. *See* Vannemreddy PSSV, 161

POLLOCK BE, HUSTON J III. Colloid cysts. Letter, 905, 906

POWERS WJ. *See* Diringer MN, 7

PRASAD D, STEINER M, STEINER L. Gamma surgery for vestibular schwannoma. Letter, 895

_____, _____, _____. Gamma surgery for vestibular schwannoma, 745

_____. *See* Payne BR, 760

PRESTIGIACOMO CJ. *See* Schwartz TH, 511

PTITO A. *See* Bittar RG, 45

PU P, LIU X, LIU A, CUI J, ZHANG Y. Inhibitory effect of antisense epidermal growth factor receptor RNA on the proliferation of rat C6 glioma cells in vitro and in vivo, 132

PÜTZ K-M. *See* Breyer R, 140

QUIÑONES-HINOJOSA A, FRIEDLANDER RM, BOYER PJ, BATCHELOR TT, CHIOCCA EA. Solitary sciatic nerve lymphoma as an initial manifestation of diffuse neurolymphomatosis. Case report and review of the literature, 165

QURESHI NH. *See* Harsh GR, 804

RADU DL. *See* Breyer R, 140

RAFFEL C. *See* Packer RJ, 249

RAIMONDI AJ. Terminology confusion in spinal surgery: laminotomy, laminoplasty, laminectomy. Letter, 371

RAK R, CHAO DL, PLUTA RM, MITCHELL JB, OLDFIELD EH, WATSON JC. Neuroprotection by the stable nitroxide Tempol during reperfusion in a rat model of transient focal ischemia, 646

RAMIREZ LF. *See* Resnick DK, 642

RAMSAY DA. *See* Ino Y, 983

RAO AM. *See* Başkaya MK, 448

RASMUSSEN PA, PERL J II, BARR JD, MARKARIAN GZ, KATZAN I, SILA C, KRIEGER D, FURLAN AJ, MASARYK TJ. Stent-assisted angioplasty of intracranial vertebrobasilar atherosclerosis: an initial experience, 771

RATHINAM R. *See* Muthukumar N, 626

REISSBERG S. *See* Firsching R, 897

RENIER D, EL GHOUZZI V, BONAVENTURE J, LE MERRER M, LAJEUNIE E. *Fibroblast growth factor receptor 3* mutation in nonsyndromic coronal synostosis: clinical spectrum, prevalence, and surgical outcome, 631

RESNICK DK. Neuroscience education of undergraduate medical students. Part I: role of neurosurgeons as educators, 637

_____. Undergraduate neuroscience education. Letter, 739

_____, RAMIREZ LF. Neuroscience education of undergraduate medical students. Part II: outcome improvement, 642

REUTENS DC. *See* Bittar RG, 45, 242

RHINES LD. *See* DiMeco F, 419
RHOTON AL JR, FINE AD, CARDOSO A. Posterior inferior cerebellar artery. Letter, 903
_____. *See* Mussi ACM, 812
RICKERT C. *See* Matheja P, 732
RIFFAUD L. *See* Morandi X, 890
RINI D. *See* Sampath P, 70
RITTER AM, AMAKER BH, GRAHAM RS, BROADDUS WC, WARD JD. Central nervous system leiomyosarcoma in patients with acquired immunodeficiency syndrome. Report of two cases, 688
ROBERTSON H. *See* Mendez I, 863
ROELOFS F. *See* Jeukin JWM, 652
ROMNER B. *See* Zemack G, 941
ROSSEAU G, APPLE S, BENZIL D, GERMANO I, GLICK R, MURASZKO K, SCHOOLER D, ZUSMAN E. *Walking Out on the Boys*. Letter, 738
ROUX FX. *See* Piketty ML, 368
RUBINSTEIN R. *See* Siegal T, 599
RUDISILL N. *See* Muizelaar JP, 370
RUSSELL NA. *See* Al Wohaibi M, 1065
RUTKA JT. *See* Carlotti CG Jr, 156

SADIKOT AF. *See* Bittar RG, 242
SAITOH Y, SHIBATA M, HIRANO SI, HIRATA M, MASHIMO T, YOSHIMINE T. Motor cortex stimulation for central pain and peripheral deafferentation pain. Report of eight cases, 150
_____, TAKEDA N, YAGI R, OSHIMA K, KUBO T, YOSHIMINE T. Pneumocephalus causing pulsatile tinnitus. Case illustration, 505
SAKAKI S. *See* Kumon Y, 848
SAKAKI T. *See* Hashimoto H, 278
SALAS E. *See* Ziyal IM, 902
SAMII M. Nerve transfer. Letter, 1068
_____Matthies C. Gamma Surgery for vestibular schwannoma. Letters, 892
_____, TATAGIBA M, CARVALHO GA. Retrosigmoid intradural suprameatal approach to Meckel's cave and the middle fossa: surgical technique and outcome, 235
_____. *See* Breyer R, 140
SAMPATH P, RINI D, LONG DM. Microanatomical variations in the cerebellopontine angle associated with vestibular schwannomas (acoustic neuromas): a retrospective study of 1006 consecutive cases, 70
SANDER D. *See* Schmidt B, 793
SANDERS JA. *See* Alberstone CD, 79
SANDLIN M. *See* Fitzgerald LF, 188
SANZ F. *See* Garcífia-Valtuille R, 870
SAROGLOU G. *See* Stranjalis G, 189
SASAKI H. *See* Ino Y, 983
SASAKI T, SUZUKI K, KODAMA N. Intraoperative monitoring of electrooculograms. Letter, 1077
_____. *See* Tosaka M, 361
SASS KJ. *See* Westerveld M, 24
SATO O. *See* Oi S, 933
SAVITZ MH. Intracranial hemorrhage and ventriculoperitoneal shunts. Letter, 1074
SAWAMURA Y. *See* Asaoka K, 1002
SAWAYA R. *See* Lal S, 326
SCHEITHAUER BW. *See* Thodou E, 976
SCHIEVINK WI, TOURJE J. Intracranial hypotension without meningeal enhancement on magnetic resonance imaging. Case report, 475
SCHMIDT B, CZOSNYKA M, SCHWARZE JJ, SANDER D, GERSTNER W, LUMENTA CB, KLINGELHÖFER J. Evaluation of a method for noninvasive intracranial pressure assessment during infusion studies in patients with hydrocephalus, 793
SCHMIDT U. *See* Halatsch ME, 297
SCHOBER O. *See* Matheja P, 732
SCHOOLER D. *See* Rosseau G, 738
SCHRAMM J. *See* Simon M, 832
SCHROEDER H. *See* Gaab M, 1073
SCHRÖTTNER O. *See* Unger F, 726
SCHWARTZ A. *See* Siegal T, 599
SCHWARTZ TH, PRESTIGIACOMO CJ, BRUCE JN, FELDSTEIN NA, GOODMAN RR. Third ventriculostomy. Letter, 511
SCHWARZ J, BELZBERG AJ. Malignant peripheral nerve sheath tumors in the setting of segmental neurofibromatosis. Case report, 342
SCHWARZE JJ. *See* Schmidt B, 793
SEBRING LA. *See* Nussbaum ES, 881
SEOANE E. *See* Coscarella E, 877
SETHI H, MOORE A, DERVIN J, CLIFTON A, MACSWEENEY JE. Hydrocephalus: comparison of clipping and embolization in aneurysm treatment. Case report, 991
SHAFFREY C. *See* O'Leary ST, 366, 801
SHALOM E. *See* Siegal T, 599
SHANNON P. *See* Al-Anazi A, 506
SHEN H. *See* Honey CR, 127
SHENGELAIA G. *See* Cloft HJ, 369
SHIBATA M. *See* Oi S, 933
_____. *See* Saitoh Y, 150
SHIBUI S. *See* Tanaka M, 338
SHIMA K. *See* Nakai K, 671
SHIMIZU H. *See* Karibe H, 58
SHIMODA M. *See* Oi S, 933
SHIN M, MORITA A, ASANO S, UEKI K, KIRINO T. Neuroendoscopic aqueductal stent placement procedure for isolated fourth ventricle after ventricular shunt placement. Case report, 1036
_____, NISHIHARA T, IAI S, EGUCHI T. Benign aqueductal cyst causing bilateral internuclear ophthalmoplegia after external ventricular drainage. Case report, 490
SHIN P. *See* Polin RS, 284
SHINOBU LA. *See* Eskandar EN, 375
SHINODA M. *See* Oi S, 933
SHIOZAKI T. Hypothermia and head injury. Letter, 1074
SHIRANE R. *See* Suzuki Y, 466
SHUAIB A. *See* Yang Y, 841
SICHEZ JP. *See* Lehéricy S, 589
SIDDIQUI M. *See* Yang Y, 841
SIEGAL T, RUBINSTEIN R, BOKSTEIN F, SCHWARTZ A, LOSSOS A, SHALOM E, CHISIN R, GOMORI JM. In vivo assessment of the window of barrier opening after osmotic blood–brain barrier disruption in humans, 599
SILA C. *See* Rasmussen PA, 771
SILVER JS. *See* Harsh GR, 804
SIMON M, PARK TW, LEUENROTH S, HANS VHJ, LÖNING T, SCHRAMM J. Telomerase activity and expression of the telomerase catalytic subunit, hTERT, in meningioma progression, 832
SINGOUNAS E. *See* Stranjalis G, 189
SKIRBOLL SL. *See* Alberstone CD, 79, 1080
SLOWIK F. *See* Czirják S, 461
SMITH DA. *See* Makoui AS, 355
SMITH S. *See* Mendez I, 493
SMITH WS. *See* Malek AM, 481
SONG JK, ESKRIDGE JM, CHUNG EC, BLAKE LC, ELLIOTT JP, FINCH L, NIAKAN C, MARAVILLA KR, WINN HR. Preoperative embolization of cerebral arteriovenous malformations with silk sutures: analysis and clinical correlation of CT complications revealed on computerized tomography scanning, 955
SONNTAG VKH. *See* Yucesoy K, 371
SÖYLEMEZOĞLU F. *See* Mut M, 706
SPALLONE A. Pineal epidermoid cysts. Letter, 909
SPEKTOR S, ANDERSON GJ, MCMENOMEY SO, HORGAN MA, KELLOGG JX, DELASHAW JB JR. Quantitative description of the far-lateral transcondylar transtubercular approach to the foramen magnum and clivus, 824
SPENCER DD. *See* Westerveld M, 24
SPETZLER RF. *See* Coscarella E, 877
SPINNER RJ, ATKINSON JLD, HARPER CM JR, WENGER DE. Recurrent intraneural ganglion cyst of the tibial nerve. Case report, 334
_____, HOWINGTON JU, KLINE DG. Median nerve penetration by an anomalous tendon. Case illustration, 500
_____, O'DRISCOLL SW, JUPITER JB, GOLDNER RD. Unrecognized dislocation of the medial portion of the triceps: another cause of failed ulnar nerve transposition, 52
SPRENGER SHE. *See* Jeukin JWM, 652
STAL S. *See* Michael CB, 350

Index

STAN AC. *See* Breyer R, 140
STANČIĆ MF, BURGIĆ N, MIĆOVIĆ V. Marinacci communication. Case report, 860
STEIGER HJ. *See* Zausinger SN, 905
STEINER L. *See* Payne BR, 760
_____. *See* Prasad D, 745, 895
STEINER M. *See* Payne BR, 760
_____. *See* Prasad D, 745, 895
STEMMER-RACHAMIMOV AO. *See* Ino Y, 983
STEVENS A. *See* Kumon Y, 848
STIVER HG. *See* Zed PJ, 347
STONEY R. *See* Malek AM, 481
STOODLEY MA. Pathophysiology of syringomyelia. Letter, 1069
STOVER JF, DOHSE NK, UNTERBERG AW. Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853
STRANJALIS G, SINGOUNAS E, BOUTSIKAKIS I, SAROGLOU G. Chronic intracerebral *Brucella* abscess. Case illustration, 189
STRATAKIS CA. *See* Watson JC, 413
STRAUSS E. *See* Westerveld M, 24
SUBRAMANIAM B. *See* Muthukumar N, 626
SUGAR O. Endoscopic approach. Letter, 1073
SUIJKERBUIJK RF. *See* Jeukin JWM, 652
SUZUKI K. *See* Sasaki T, 1077
SUZUKI SO. *See* Miyagi Y, 711
SUZUKI Y, YOSHIDA YK, SHIRANE R, YOSHIMOTO T, WATANABE M, MORIYA T. Congenital primary cerebral angiosarcoma. Case report, 466
SZEIFERT G. *See* Payne BR, 760

TABATA Y. *See* Hong L, 315
TABUCHI K. *See* Abe M, 1076
TADA M. *See* Asaoka K, 1002
TAKAI K. *See* Nishihara T, 1053
TAKANASHI M. *See* Nakajima Y, 697
TAKEDA N. *See* Saitoh Y, 505
TAKI W. *See* Ohtakara K, 1045
TAMIYA T, HAMASAKI S, ONO Y, TOKUNAGA K, MATSUMOTO K, FURUTA T, OHMOTO T. Ganglioglioma in a patient with Turcot syndrome. Case report, 170
TAMURA M. *See* Tosaka M, 361
TANAKA M, SHIBUI S, NOMURA K, NAKANISHI Y, HASEGAWA T, HIROSE T. Malignant intracerebral nerve sheath tumor with intratumoral calcification. Case report, 338
TANGHE HLJ. *See* Kros JM, 702
TASKER RR. *See* Davis KD, 64
TATAGIBA M. *See* Samii M, 235
TAUB E. Mathematical theory of stereotactic coordinate transformation: elimination of rotational targeting error by addition of a third reference point. Technical note, 884
_____. *See* Davis KD, 64
TAUBMAN K. *See* Wrobel CJ, 1076
TENG W. *See* Yamamoto S, 1009
TERAOKA A. *See* Nishihara T, 1053
TESSMAN CL. *See* Alberstone CD, 79
TEW JM JR.. *See* Zimmerman G, 39
THIRUTHAVADOSS A. *See* Muthukumar N, 626
THODOU E, KONTOGEORGOS G, SCHEITHAUER BW, LEKKA I, TZANIS S, MARIATOS P, LAWS ER JR. Intrasellar chordomas mimicking pituitary adenoma, 976
THOMAS A. *See* O'Leary ST, 801
THOMEER RTWM. *See* Malassy MJA, 1069
THOMPSON BG. *See* Pluta RM, 121
THOMPSON TP, KONDZIOLKA D, ALBRIGHT AL. Thalamic stimulation for choreiform movement disorders in children. Report of two cases, 718
_____, Levy E, Kanal E, Lunsford LD. Iatrogenic pneumocephalus. Letter, 1069
TIMPERLEY WR. *See* Fewings PE, 401

TODD JR. *See* Vannemreddy PSSV, 161
TOFILON P. *See* Lal S, 326
TOGO K. *See* Oi S, 933
TOKUNAGA K. *See* Tamiya T, 170
TOMINAGA T. *See* Karibe H, 58
TOMONO Y. *See* Hyodo A, 503
TOMPKINS P. *See* Kumon Y, 848
TONN JC. *See* Packer RJ, 249
TORCHIANA E. *See* DiMeco F, 419
TOSAKA M, KOHGA H, ZAMA SKA, TAMURA M, MURAKAMI M, SASAKI T. Double pituitary adenomas detected on preoperative magnetic resonance images. Case illustration, 361
TOSUN N. *See* Aydinlioglu A, 693
TOURJE J. *See* Schievink WI, 475
TOYODA T, KASSELL NF, LEE KS. Induction of tolerance against ischemia/reperfusion injury in the rat brain by preconditioning with the endotoxin analog diphosphoryl lipid A, 435
TRENERRY MR. *See* Westerveld M, 24
TRIGUEROS F. *See* Garcífia-Valtuille R, 870
TRONNIER VM, FOGEL W. Pallidal stimulation for generalized dystonia. Report of three cases, 453
TSUGANE R. *See* Oi S, 933
TSUKADA H. *See* Yamamoto S, 1009
TSURUSHIMA H, HYODO A, YOSHII Y. Papaverine and vasospasm. Letter, 509
TULI S, DRAKE J, LAWLESS J, WIGG M, LAMBERTI-PASCULLI M. Risk factors for repeated cerebrospinal shunt failures in pediatric patients with hydrocephalus, 31
TÜRE U, YAŞARGIL MG, AL-MEFTY O, YAŞARGIL DCH. Arteries of the insula, 676
TYLER BM. *See* DiMeco F, 419
TZANIS S. *See* Thodou E, 976

UEKI K. *See* Nishihara T, 1053
_____. *See* Shin M, 1036
UENO M, KIRA R, MATSUSHIMA T, INOUE T, FUKUI M, GONDO K, IHARA K, HARA T. Moyamoya disease and transforming growth factor–β1. Letter, 907
UĞUR HÇ. *See* Erdem A, 733
UNGER F, SCHRÖTTNER O, HASELSBERGER K, KÖRNER E, PLOIER R, PENDL G. Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
UNTERBERG AW. *See* Stover JF, 853
USHIO Y. *See* Hamada J-I, 1023
_____. *See* Kuratsu J-I, 766

VAICYS C. *See* Hunt CD, 501
VALERY CA. *See* Lehéricy S, 589
VAN DEN BERGE H. *See* Kros JM, 702
VAN EFFENTERRE R. *See* Lehéricy S, 589
VAN FURTH WR. *See* Versélewel de Witt Hamer PC, 906
VAN OVERBEEKE JJ. *See* Jeukin JWM, 652
VANDERMARCQ P. *See* Bataille B, 261
VANNEMREDDY PSSV, FOWLER M, POLIN RS, TODD JR, NANDA A. Glioblastoma multiforme in a case of acquired immunodeficiency syndrome: investigating a possible oncogenic influence of human immunodeficiency virus on glial cells. Case report and review of the literature, 161
VERSÉLEWEL DE WITT HAMER PC, VERSTEGEN MJT, VAN FURTH WR, BOSCH DA. Colloid cysts. Letter, 906
VERSTEGEN MJT. *See* Versélewel de Witt Hamer PC, 906
VEZINA G. *See* Packer RJ, 249
VICSEK T. *See* Hegedüs B, 428
VIDEEN TO. *See* Diringer MN, 7
VILLABLANCA JG. *See* Packer RJ, 249
VINGERHOETS F. *See* Ghika J, 509

VISHTEH AG. *See* Coscarella E, 877
VITANOVIC D. *See* Czirják S, 461
VON DEIMLING A. *See* Ino Y, 983

WADA K. *See* Nakai K, 671
WAGA S. *See* Ohtakara K, 1045
WAGER M. *See* Bataille B, 261
WALTER GF. *See* Breyer R, 140
WARD JD. *See* Ritter AM, 688
WATANABE M. *See* Suzuki Y, 466
WATSON JC, STRATAKIS CA, BRYANT-GREENWOOD PK, KOCH CA, KIRSCHNER LS, NGUYEN T, CARNEY JA, OLDFIELD EH. Neurosurgical implications of Carney complex, 413
_____. *See* Kouri JG, 1028
_____. *See* Rak R, 646
WEAVER KD, EWEND MG. Development of an arachnoid cyst after ventriculoperitoneal shunt placement. Case illustration, 363
WECKESSER M. *See* Matheja P, 732
WEERASINGHE S. *See* Mendez I, 863
WEIR B. Colloid cysts. Letter, 903
WENGER DE. *See* Spinner RJ, 334
WESSELING P. *See* Jeukin JWM, 652
WESTERMANN CJJ. *See* Willemse RB, 779
WESTERVELD M, SASS KJ, CHELUNE GJ, HERMANN BP, BARR WB, LORING DW, STRAUSS E, TRENERRY MR, PERRINE K, SPENCER DD. Temporal lobectomy in children: cognitive outcome, 24
WESTPHAL M, GRZYSKA U. Clinical significance of pedicle aneurysms on feeding vessels, especially those located in infratentorial arteriovenous malformations, 995
WIGG M. *See* Tuli S, 31
WIJDICKS EFM. *See* Flemming KD, 504
WILDRICK DM. *See* McCutcheon IE, 306
WILLEMSE RB, MAGER JJ, WESTERMANN CJJ, OVERTOOM TTC, MAUSER H, WOLBERS JG. Bleeding risk of cerebrovascular malformations in hereditary hemorrhagic telangiectasia, 779
WINKLER PA. *See* Zausinger SN, 905
WINN HR. *See* Newell DW, 510
_____. *See* Song JK, 955
WOISCHNECK D. *See* Firsching R, 897
WOLBERS JG. *See* Willemse RB, 779
WOULFE JMJ. *See* Hammond RR, 722
WROBEL CJ, TAUBMAN K. Blood-blister-like aneurysms. Letter, 1076

XI G. *See* Hua Y, 1016

YAGI R. *See* Saitoh Y, 505
YAMADA K. *See* Hong L, 315
YAMAMOTO M. *See* Hong L, 315
YAMAMOTO S, TENG W, NISHIZAWA S, KAKIUCHI T, TSUKADA H. Improvement in cerebral blood flow and metabolism following subarachnoid hemorrhage in response to prophylactic administration of the hydroxyl radical scavenger, AVS, (±)-N,N′-propylenedinicotinamide: a positron emission tomography study in rats, 1009
YAMAMOTO T. *See* Fukaya C, 1078
YAMANAKA K. *See* Komiyama M, 365
YANAKA K. *See* Hyodo A, 503
YANG Y, LI Q, MIYASHITA H, HOWLETT W, SIDDIQUI M, SHUAIB A. Usefulness of postischemic thrombolysis with or without neuroprotection in a focal embolic model of cerebral ischemia, 841
YANO S. *See* Hamada J-I, 1023
YAŞARGIL DCH. *See* Türe U, 676
YAŞARGIL MG. *See* Türe U, 676
YASUI T. *See* Komiyama M, 364, 365
YELNIK J. *See* Bejjani BP, 615
YIP S. *See* Honey CR, 127
YOKOTA J. *See* Nakajima Y, 697
YOKOTE H. *See* Nakao N, 659
YOSHIDA YK. *See* Suzuki Y, 466
YOSHII Y. *See* Tsurushima H, 509
YOSHIMINE T. *See* Nakajima Y, 697
_____. *See* Saitoh Y, 150, 505
YOSHIMOTO T. *See* Karibe H, 58
_____. *See* Suzuki Y, 466
YOUNG JS. Cerebral perfusion pressure or intracranial pressure? Letter, 191
YUCESOY K, SONNTAG VKH. Terminology confusion in spinal surgery: laminotomy, laminoplasty, laminectomy. Letter, 371
YUNDT K. *See* Diringer MN, 7

ZABRAMSKI JM. *See* Coscarella E, 877
ZAMA SKA. *See* Tosaka M, 361
ZAUSINGER SN, KRETH FW, WINKLER PA, STEIGER H-J. Colloid cysts. Letter, 905
ZAZULIA AR. *See* Diringer MN, 7
ZED PJ, STIVER HG, DEVONSHIRE V, JEWESSON PJ, MARRA F. Continuous intrathecal pump infusion of baclofen with antibiotic drugs for treatment of pump-associated meningitis. Case report, 347
ZEMACK G, ROMNER B. Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients, 941
ZHANG BM. *See* McCutcheon IE, 306
ZHANG J. Oxyhemoglobin and apoptosis. Letter, 900
ZHANG Y. *See* Pu P, 132
ZHAO W. *See* Huh PW, 91
ZIMMERMAN G, LEWIS AI, TEW JM JR. Pure sylvian fissure arteriovenous malformations, 39
ZIYAL IM, SALAS E. Extradural posterior inferior cerebellar artery. Letter, 902
ZLATESCU MC. *See* Ino Y, 983
ZUSMAN E. *See* Rosseau G, 738
ZWIENENBERG M. *See* Muizelaar JP, 370

Subject Index

Abscess
Chronic intracerebral *Brucella* abscess. Case illustration, 189
Abstracts
Aboody KS, Bower KA, Shivji S, McDonough CB, Brown A, Rainov NG, Black PMcL, Breakefield XO, Snyder EY, Glick R. *A novel strategy for gene therapy delivery to brain tumors: foreign gene expressing neural stem cells display tropism for intracranial gliomas*, 547
Albright AL, Sposto R, Holmes E, Zeltzer PM, Finlay JL, Wisoff JH, Berger MS, Packer RJ, Pollack IF, Haines S. *Correlation of neurosurgical subspecialization with outcomes of children with malignant brain tumors*, 558
Albuquerque FC, Han PP, McDougall CG, Hopkins LN. *Endovascular management of extracranial carotid artery dissections*, 565
_____, McDougall CG, Spetzler RF, Sonntag VKH. *Embolization, ligation, and cardiac arrest: the varied history of the treatment of carotid-cavernous fistulas*, 584
Alexander MJ, Spetzler RF. *A paradigm for skull base approaches to anterior inferior cerebellar artery aneurysms: experience with 36 cases*, 569
Alkhani A, Lozano AM, Grubb R. *Pallidotomy for Parkinson's disease: an evidence-based review of contemporary publications*, 549
Amin-Hanjani S, Wu Y, Huang Z, Kuida K, Moskowitz MA. *Infarct reduction after transient cerebral ischemia in caspase 3 knockout mice*, 568
Armonda RA, McGee B, Veznadaraglu E, Forget T, Thomas JE, Rosenwasser RH, Connolly ES. *Monitoring cerebral oximetry in the management of pulmonary insufficiency in aneurysmal SAH*, 553
Apfelbaum RI, Dailey AT, Barbera J. *Clinical experience with a new load sharing anterior cervical plate*, 581
Barnett GH. *Initial experience with compact intraoperative MR imaging*, 579
Bele S, Gliese M, Brawanski A. *Prolonged expression of immediate early gene-encoded proteins after controlled cortical impact in rats*, 573
Belzberg AJ, Li Y, Dorsi MJ, Meyer RA. *Mechanical hyperalgesia following an L-5 spinal nerve lesion in the rat is not dependent on input from injured nerve fibers*, 576
Borges LF, MacGarvey U. *Neuroparalytic keratitis is caused by apoptosis of the corneal epithelium*, 577
Bricolo A, Faccioli F, McCormick P. *Surgical treatment of intramedullary spinal cord tumors: a review of 300 consecutive cases*, 566
Broaddus WC, Holloway KL, Winters C, Couldwell WT. *Prospective randomized comparison of stainless steel wire versus titanium miniplate cranial fixation*, 567
Burchiel KJ, Slavin KV, Baumann TK, Kaye A. *Pathophysiology of trigeminal neuralgia: new evidence from intraoperative microelectrode recordings*, 544
Burson T, Muhlbauer MS, Sanford RA, Fryrear R. *Division of the transverse sinus and tentorium cerebelli to allow vault expansion and posterior fossa decompression in the treatment of Chiari II malformation*, 574
Cahill DW, Sonntag VKH. *Circumferential approaches for the correction of occipitocervical and subaxial deformity*, 557
Campbell JN, Sheth RN, Tindall S. *Transaxillary resection of the first rib is a better operation for thoracic outlet syndrome than supraclavicular neuroplasty of the brachial plexus: results of a randomized trial*, 560
Carragee EJ, Han M, Kim D, Yang B, Lavyne M. *Fragment type and annular competence as predictive factors in lumbar discectomy*, 558
Chang SD, Levy RP, Marks MP, Steinberg GK, Martin NA. *Multimodality treatment of giant intracranial AVMs*, 554
Chen JCT, Choi SH, Amar AP, Melmed S, Singer P, Couldwell W, Weiss MH, Chandler W. *Adenocorticotropic hormone–secreting pituitary adenomas: predictive value of postoperative cortisol levels*, 545
Chin LS, Hornyak Mark, Fiandaca M, Amin P. *Gamma knife radiosurgery for pituitary adenomas*, 578
Clausen T, Zauner A, Khaldi A, Reinert M, Young HF, Bullock R. *Importance of early brain tissue monitoring in severely head injured patients*, 572
Coiteiro DN, Martin NA, Viñuela F. *Comprehensive management of fusiform intracranial aneurysms with surgical and endovascular techniques*, 569
Crawford TS, Tracy P, Schultz D. *A randomized, prospective, blinded, palcebo-controlled trial of epidural analgesia following lumbar discectomy*, 577
Crockard A, Steel TR, Cheesman AD, Plowman N, Sekhar L. *Skull base chordomas and chondrosarcomas: a 12-year prospective review*, 547
Crockard HA, Singh A, Lauryssen C. *Measuring function in cervical myelopathy by a timed walking test*, 558
Dacey R. *Factors related to outcome following surgery for unruptured intracranial aneurysms*, 543
Deshmukh P, Moser R, Glick RP, Lichtor T, Cohen EP, Martuza R. *Immunogene therapy: prolongation of survival and induction of long-term immunity against intracerebral breast cancer*, 566
Dickey PS, Andreeva L, Kailasnath P, Weir B. *Do selection and referral bias explain the apparent 10-mm rupture threshold for unruptured aneurysms?* 544
Donaldson JW, Luerssen TG, Adelson PD. *Moderate closed head injury in childhood: incidence and outcome*, 555
Durward QJ, Hughes CA, Vasgaard J, Zabramski J. *Intraoperative duplex scanning for carotid endarterectomy*, 564
Floeth FW, Rassek R, Engelbrecht J, Weber F. *Assessment of size, distribution, and infiltrative spread in gliomas by 3D H-proton magnetic resonance spectroscopy compared with conventional MR imaging*, 578
Foley KT, Rampersaud YR, Simon DA, Haid R Jr. *Virtual fluoroscopy: multiplanar x-ray guidance with minimal radiation exposure*, 556
_____, _____, _____, Jansen TH. *Virtual fluoroscopy for cervical spine surgery*, 581
Friedman JA, Piepgras DG, Pichelmann MA, Hansen KK, Brown RD Jr, Wiebers DO, Duke S. *Patients with small cerebral aneurysms presenting with symptoms other than rupture*, 552
_____, Meyer FB, Nichols D, Windschitl W, Day AL. *Surgical repair of endovascularly untreatable transitional carotid–cavernous aneurysms*, 552
Golby AJ, Poldrack R, Spencer D, Brewer J, Gabrieli J. *Material-specific lateralization of mesial temporal lobe activation during memory encoding*, 571
Gopinath SP, Valadka A, Diaz P, Robertson C. *Comparison of regional CBF measured by thermal diffusion and stable xenon techniques*, 573
Greenblatt SH. *The dismal state of cerebral surgery circa 1900*, 582
Gropper MR, Armstrong L, Foroohar M, Geisler F, Ducker T. *Instrumented fusion is a necessary adjunct for cervical laminectomy*, 556
Gross RE, Lombardi WJ, Trepanier LL, Lang AE, Lozano AM, Saint-Cyr JA. *Pallidotomy lesion location and cognitive outcome: support for the existence of segregated cognitive circuits in the human pallidum*, 570
Hacker RJ, Cauthen J, Golbert T, Fessler RG. *Prospective randomized multicenter clinical trial of cervical fusion cages*, 543
Hadani MA, Katznelson E, Zuk Y, Sinai R, Black PM. *A novel real-time intraoperative MR imaging-guided system: a wide-open, compact, and displaceable IMR imaging system for conventional neurosurgical operating rooms*, 560
Hamilton JF, Morrison PF, Chen MY, Pernaute RS, Oldfield EH, Bank-

Abstracts (*continued*)
iewicz K, Neuwelt E. *Heparin coinfusion during convection-enhanced delivery dramatically increases the distribution of glial-derived neurotrophic factor and homologous growth factors in rat striatum*, 561
Han PP, Detwiler PW, Porter RW, Dickman CA, Branch C Jr. *Outcomes and complications of 179 thoracoscopic approaches to the thoracic spine*, 563
_____, Zabramski JM, Spetzler RF, Porter RW, Detwiler PW, Jahnke H, Mayberg M. *Microsurgical carotid endarterectomy in 629 cases: the Barrow Neurological Institute experience from 1988 to 1997*, 564
Hanigan WC. *Medecin–Major Clovis Vincent and L'Affaire du Zouave Deschamps*, 583
_____. *Neurology and the great war*, 584
Heimberger AB, Crotty LE, Archer GE, McLendon RE, Friedman A, Dranoff G, Bigner DD, Sampson JH. *Preclinical evaluation of dendritic cells as an immunotherapy for intracranial glioma*, 578
Heiss JD, DeVroom H, Patronas N, Shawker T, Eskioglu E, Ennis R, Oldfield EH, Milhorat T. *Pathophysiology of persistent syringomyelia after decompressive craniocervical surgery*, 544
Hertel A, Langen K, Kiwit J, Weber F, Piepmeier J. *Iodo-a-methyltyrosine-SPECT as metabolic monitor for human gliomas. Results in 108 patients*, 561
Heth JA, Hitchon PW, Goel VK, Rogge TN. *A Biomechanical analysis of anteriorly versus transversely applied threaded fusion cages*, 582
Hong YK, Lee KS, Son BC, Park CK, Kim MC, Kang JK, Chung D, Joe YA, Black K. *Suppression of angiogenesis and malignant glioma growth by recombinant angiostatin*, 567
Jawahar A, Kondziolka D, Flickinger JC, Lunsford LD, Friedman WA. *Role of stereotactic radiosurgery for patients with hemangioblastomas*, 562
Kaufmann AM, Krawetz P, Hobson D, Ranawaya R, Lye T, Olsen G, Apfelbaum R. *Management variations for hemifacial spasm*, 549
_____, MacDougall K, Olsen G, Brown J. *Diagnostic errors in trigeminal neuralgia*, 549
Kaufmann DL, Goodrich JT, Flamm ES. *Persistence of error: Galen's rete mirabile and its significance in intracranial physiology*, 583
Kim DH, Tiel R, Kline DG, Kliot M. *Surgical management and results of radial nerve lesions*, 563
Kondziolka D, Wechsler L, Goldstein S, Gebel J, De Cesare S, Cidis-Meltzer C, Thulborn K, Jannetta P, Niranjan A, Thompson T, Elder E, Freeman T. *Results from a phase I trial of neuronal transplantation for patients with fixed motor deficits following stroke*, 560
Kulkarni AV, Drake JM, Armstrong DC, Dirks PB, Perneczky A. *Ventricular size and flow void following endoscopic third ventriculostomy*, 562
Kuroda S, Houkin K, Kamiyama H, Nakagawa Y, Abe H. *Effects of surgical revascularization on long-term outcome in ischemic moyamoya disease*, 568
Lang EW, Diehl RR, Mehdorn HM, MacDonald RL. *Systematic cerebral autoregulation testing after severe SAH*, 552
Laurer HL, Raghupathi R, Riess P, Trojanowski JQ, Grady MS, McIntosh TK, Andrews B. *Repetitive mild head injury: is there cause for concern?* 555
Liau LM, Vu TQ, Odesa S, Bronstein JM, Becker DP, Raffel C. *Identification and characterization of a novel gene, GAX*, overexpressed in human glioblastomas, 545
Liu CY, Levy ML, Gilles FH, McComb JG. *Significance of invasion of neural tissue on survival in pediatric patients with craniopharyngiomas*, 575
Lovick DS, Martin A, Liu H, Truit C, Hall W, Buatti J. *Utility of MR spectroscopy to differentiate radiation necrosis from recurrent tumor*, 561
Madsen JR, Goldberg D. *Characterization of ICP spikes associated with seizures*, 574
Malek AM, Phatouros CC, Lempert TE, Meyers PM, Smith WS, Dowd CF, Halbach VV, Harbaugh RE. *Stent-supported balloon angioplasty of the cervical carotid artery in patients at high surgical risk*, 565
Manley GT, Ma T, Filiz F, Bollen AW, Verkman AS. *Aquaporin-4 deletion in mice reduces brain edema following acute water intoxication*, 572
Martin CH, Jolesz F, Black PM, Kelly PJ. *Laser ablation of deep-seated tumors in the intraoperative MR imager*, 548

Abstracts (*continued*)
McDonald JV. *Harvey Cushing's early interest in neuropathology*, 583
McInerney J, Gould DA, Birkmeyer JD, Harbaugh RE, Heros R. *A decision and cost-benefit analysis comparing therapeutic interventions for patients with large asymptomatic intracranial AVMs*, 555
McLaughlin MR, Haid RW Jr, Rodts GE Jr, Subach BR. *C1-2 Transarticular screw fixation for atlantoaxial instability: a 6-year experience*, 579
Meyer B, Schaller C, Urbach H, Schramm J. *Stagnant arterial flow in former feeding arteries does not indicate cerebral hypoperfusion after resection of AVMs*, 569
Misra SN, Boop FA, James C, Glasier C, Angtuaco E, Massey S. *Abnormal filum terminale*, 575
Mogilner AY, Rezai AR, Zonenshayn M, Ribary U, Llinas RR. *Functional brain imaging and spinal cord stimulation: localization of cortical activity by using magnetoencephalography*, 576
Munshi I, Macdonald RL, Weir B. *Intraoperative angiography of brain AVMs*, 569
Nair DR, Najm I, Luciano M. *A decrease in motor evoked potential latencies after selective dorsal rhizotomy*, 574
Nimsky C, Ganslandt O, Cerny S, Hastreiter P, Fahlbusch R. *Quantification and Compensation of brain shift by intraoperative MR imaging*, 570
Obwegeser AA, Uitti RJ, Lucas JA, Witte RJ, Wharen RE. *Relationship of lesion location to changes in verbal fluency following microelectrode-guided pallidotomy for Parkinson's disease*, 570
Oldfield EH, Broaddus WC, Bruce J, Trask T, Laske DW, McDonald J, Patel SJ, Weingart JD, Wharen RE Jr, Youle R, Brem H. *Phase II trial of convection-enhanced distribution of recombinant immunotoxin in patients with recurrent malignant gliomas*, 558
Oskouian RJ, Lee JH, Glenn TC, Oertel M, Ignarro LJ, Martin NA, Newell D. *Multimodal quantitation of the efficacy of papaverine and balloon angioplasty for the treatment of vasospastic cerebral arteries in aneurysmal SAH patients*, 553
Pahapill PA, Saint-Cyr JA, Crawley AP, Lozano AM, Mikulis DJ. *Functional MR imaging in patients with bilateral subthalamic nucleus deep brain stimulating electrodes for Parkinson's disease*, 572
Pait TG, Vognet KM, de Costa I, Ingraham R. *1990: a few journals revisited*, 583
Pieper DR. *Efficacy and accuracy of the StealthStation frameless stereotactic system for intracranial applications without fudicial markers*, 571
Pillay PK, Kumar K, Tang KK, Wilkinson H. *Miniendoscopic sympathectomy for hyperhidrosis*, 563
Pouratian N, Martin NA, Cannestra A, Becker DP, Bookheimer S, Sicotte N, Toga A, Ojemann G. *Intraoperative human sensorimotor and language mapping using optical intrinsic signal imaging: comparison with electrophysiological techniques and fMR imaging in 40 patients*, 551
Preul MC, Dagi TF. *A realistic view: the dawn of modern brain imaging*, 582
Price RL, Yoon M, Gaughan J, Munz M, Bakay RAE. *Effect of pallidotomy versus deep brain stimulation on quality of life in advanced Parkinson's disease*, 550
Purighalla VS, Nguyen KV, Phillips JM, North R. *Outcomes of surgical decompression and/or ganglionectomy of second cervical root for cervicogenic headaches*, 548
Raghupathi R, Saatman KE, Tomasevic G, Laurer H, Scherbel U, Nakamura M, Wieloch T, Grady MS, McIntosh TK, Bullock MR. *Evaluation of cell death–associated gene function following traumatic brain injury using transgenic mice*, 559
Rao JG, Bendzus M, Schaller C, Burger R, Scheinemann K, Schramm J, Roosen K, Solymois L, Rosenwasser R. *Is there a benefit in the preoperative embolization of meningiomas?* 547
Rapaport BS, Ledgard E, Zhang W, Levy L, Couldwell WT, Walters B. *Self-assessed quality of life in patients undergoing major cranial surgery*, 568
Rhoton AL Jr, Oyesiku N. *Endonasal transsphenoidal surgery*, 545
Rovit RL, Couldwell WT, Laws ER Jr. *Harvey Cushing and Franklin Roosevelt: an uncommon alliance*, 551
Sandhu HS, Sanchez-Caso LP, Parvataneni HK, Girardi FP, Cammisa FP Jr, Bernard G. *Association between provocative discography and MR imaging vertebral endplate signal changes*, 580

Index

Abstracts (*continued*)
Schroeder HWS, Schweim C, Schweim K, Gaab MR, Teo C. *Analysis of aqueductal CSF flow after endoscopic aqueductoplasty with dynamic phase-contrast MR imaging*, 562
Sheehan JM, Vance ML, Prasad D, Laws ER Jr, Steiner L, Post K. *Radiosurgery for Cushing's disease after failed transsphenoidal surgery*, 546
Sheth RN, Lancelotta MP, Meyer RA, Belzberg AJ, Campbell JN. *Duration and severity of hyperalgesia after nerve root section in rat is worse with cut and ligation compared to crush injury*, 577
Shields CB, Dimar JR, Raque GH, Zhang YP, Glassman SD, Heary R. *Effect of timing of decompression on neurological outcome following spinal cord injury*, 556
Shin HJ, Kim SE, Nam DH, Park K, Kim JH. *Measurements of regional CBF and vascular reserve in pediatric moyamoya disease before and after encephaloduroarteriosynangiosis*, 574
Sills AK Jr, Dalrymple S, Hamm W, Meyer FB. *Transcranial cerebral oximetry as a noninvasive monitor of cerebral perfusion during carotid endarterectomy*, 564
Slavin KV, Burchiel KJ. *Use of long-term nerve stimulation with implanted electrodes in the treatment of intractable craniofacial pain*, 576
Solomon RA, Connolly S, Prestigiacomo C, Pile-Spellman J, Spetzler R. *Residual dysplastic vessels after AVM resection: implications for postoperative angiography*, 554
Starr PA, Christine C, Clay H, Heath S, Barbaro N, Aminoff M, Marks W Jr, Benabid AL. *A prospective, randomized trial of chronic deep brain stimulation of the globus pallidus or subthalamic nucleus for medically refractory Parkinson's disease*, 543
Steward TJ, Howard M, Liu S, Qu Y, Leuchtmann E, Arekapodi S, Lauryssen C, McDonald J, Green B. *Embryonic stem cells myelinate and produce extracellular matrix in vitro and when transplanted into the injured spinal cord*, 556
Study of Unruptured Intracranial Aneurysms Investigators, Dacey R. *Factors related to outcome following surgery for unruptured intracranial aneurysms*, 543
Subach BR, Marion DW, King JT Jr, Bullian L. *Three-month Glasgow outcome scores predict long-term functional outcomes in patients with severe traumatic brain injury*, 573
Tabar V, Studer L, Kabbani N, McKay R, DeLong M. *Generation of CNS stem cell-derived neurons: multifold expansion and transplantation in a Huntington's model*, 548
Tateshima S, Murayama Y, Viñuela F, Duckwiler GR, Gobin YP, Guglielmi G, Batjer H. *Endovascular treatment of basilar tip aneurysms by using Guglielmi detachable coils: anatomical and clinical results in 73 patients from a single institution*, 551
Tuli S, Spears J, Drake J, Lamberti-Pasculli M. *Predictors of mortality in pediatric shunted hydrocephalus*, 575
Valadka AB, Andrews BT, Bullock R, Wilberger J. *How well do neurosurgeons care for trauma patients? A survey of the American Association for the Surgery of Trauma*, 559
Vates E, Wachhorst SP, Bollen AL, Wilson CB, Fahlbusch R. *Diagnosis and management of Rathke's cysts in 106 patients*, 546
Vesper J, Funk T, Jahnke U, Wagner F, Kern BC, Straschill M, Brock M, Vitek J. *Results of chronic subthalamic nucleus stimulation for Parkinson's disease: a one-year follow up*, 550
Villavicencio AT, Leveque JC, Fuchs H, George T, Kestle J. *Comparison of revision rates following endoscopically versus nonendoscopically placed ventriculoperitoneal shunt catheters*, 563
Warnke P, Prokop T, Baumer B, Kopitzki K, Ostertag C, Ram Z. *Efficacy of HSV-tk gene therapy in gliomas largely depends on brain tumor physiology*, 566
Weaver KD, Yeyeodu S, Cusack JC Jr, Ewend MG, Rosenblum M. *Potentiation of chemotherapy against U87 glioblastoma by gene therapy targeting nuclear factor kappa B*, 546
Weil RJ, Johnson J, Chrousos G, Doppman JL, DeVroom H, Nieman Lynette, Oldfield EH, Laws ER. *Surgical management of pediatric Cushing's disease*, 545
Westphal M, Koch C, Barrow D. *Treatment of spinal dural arteriovenous fistula: experience with 52 cases*, 565
Weyerbrock A, Walbridge S, Keefer L, Oldfield EH, Black K. *Tumor-selective blood–brain barrier disruption with a nitric oxide donor*

Abstracts (*continued*)
increases efficacy of intravenous carboplatin chemotherapy in rats with intracerebral C6 gliomas, 561
Wiggins GC, Shaffrey CI, Bartkowski HM, Rauzzino MJ, Nockels RP. *Neurosurgical Management of complex pediatric thoracolumber spinal deformity*, 580
Witham TF, Dworacki G, Okada H, Fellows W, Erff M, Chambers WH, Pollack I, DeLeo A. *p53 mutant peptide-pulsed dendritic cell vaccine in an intracranial protection model*, 579
Woo HH, Rezai AR, Mogilner AY, Cappell J, Nelson PK, Jafar JJ, Llinas R, Haglund M. *Application of magnetoencephalography in the management of cortical AVMs*, 554
Yamada S, Iacono RP, Lonser RR, Hadden A, Colohan ART. *Surgical results of adult tethered cord syndrome*, 581
Young RF, Vermeulen S, Li F, Posewits A, Lozano A. *Gamma knife thalamotomy and pallidotomy for treatment of movement disorders*, 550
Zhu J, Kuo C, Zhang Li, Carter B, Folkman J, Mulligan R, Black PM. *Direct and indirect antiangiogenic gene therapy of malignant brain tumor with endostatin and vascular endothelial growth factor receptor 2 (flk-1)*, 578
Zoarski GH, Snow AP, Olan W, Stallmeyer MJB, Dick BW, Hebel JR, Nockels R. *Percutaneous vertebroplasty for painful osteoporotic vertebral compression fractures: determination of efficacy using MODEMS*, 557
Zonenshayn M, Mogilner A, Beric A, Sterio D, Kelly PJ, Rezai AR. *Comparison of anatomical and neurophysiological methods for subthalamic nucleus targeting*, 571
Acoustic neuroma
False-positive findings on magnetic resonance imaging mimicking vestibular schwannoma. Case illustration, 733
Gamma surgery for vestibular schwannoma, 745
Acromegaly
Neurosurgical implications of Carney complex, 413
Adenovirus
Dependence of efficient adenoviral gene delivery in malignant glioma cells on the expression levels of Coxsackievirus and adenovirus receptor, 1002
AIDS
Central nervous system leiomyosarcoma in patients with acquired immunodeficiency syndrome. Report of two cases, 688
Air embolism
Pneumoangiogram in a patient with severe head injury. Case illustration, 502
Allelic loss
High-grade gliomas with chromosome 1p loss. Letter, 1080, 1081
Aneurysm
Blood-blister-like aneurysms. Letter, 1076
Early aneurysm recurrence after technically satisfactory Guglielmi detachable coil therapy: is early surveillance needed? 355
Enlarging vertebrobasilar dolichoectasia with subarachnoid hemorrhage heralded by recurrent ischemia. Case illustration, 504
Increased intracranial pressure resulting in a pulsatile aneurysm. Case illustration, 365
Interdural origin of the ophthalmic artery at the dural ring of the internal carotid artery. Report of two cases, 488
Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage, 390
Use of spiral computerized tomography angiography in patients with subarachnoid hemorrhage in whom subtraction angiography did not reveal cerebral aneurysms, 278
Aneursym clip
Risk of intraoperative aneurysm clip slippage: a new experience with titanium clips. Report of four cases and technical considerations, 478
Angiography
Increased intracranial pressure resulting in a pulsatile aneurysm. Case illustration, 365
Use of gadolinium as an intraarterial contrast agent in digital subtraction angiography of the cervical carotid arteries and intracranial circulation. Technical note, 881
Use of spiral computerized tomography angiography in patients with subarachnoid hemorrhage in whom subtraction angiography did not reveal cerebral aneurysms, 278

Angioma
Clinical significance of pedicle aneurysms on feeding vessels, especially those located in infratentorial arteriovenous malformations, 995
Angioplasty
Efficacy of transluminal angioplasty for the management of symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 284
Patient presentation, angiographic features, and treatment of strangulation-induced bilateral dissection of the cervical internal carotid artery. Report of three cases, 481
Stent-assisted angioplasty of intracranial vertebrobasilar atherosclerosis: an initial experience, 771
Angiosarcoma
Congenital primary cerebral angiosarcoma. Case report, 466
Anterior cerebral artery
Densely calcified anterior cerebral arteries. Case illustration, 364
Anterior communicating artery
Clinical presentation and management of giant anterior communicating artery region aneurysms, 267
Early aneurysm recurrence after technically satisfactory Guglielmi detachable coil therapy: is early surveillance needed? Case report, 355
Anterolateral approach
Subfascial and submuscular methods of temporal muscle dissection and their relationship to the frontal branch of the facial nerve. Technical note, 877
Apoptosis
Intracerebral administration of interleukin-1β and induction of inflammation, apoptosis, and vasogenic edema, 108
Oxyhemoglobin and apoptosis. Letter, 899, 900
Aqueductal cyst
Benign aqueductal cyst causing bilateral internuclear ophthalmoplegia after external ventricular drainage. Case report, 490
Aqueductal stenosis
Neuroendoscopic aqueductal stent placement procedure for isolated fourth ventricle after ventricular shunt placement. Case report, 1036
Pathophysiology of long-standing overt ventriculomegaly in adults, 933
Arachnoid cyst
Development of an arachnoid cyst after ventriculoperitoneal shunt placement. Case illustration, 363
Arnold-Chiari malformation
Asymptomatic Chiari Type I malformations identified on magnetic resonance imaging, 920
Arteriovenous malformation
Bleeding risk of cerebral vascular malformations in hereditary hemorrhagic telangiectasia, 779
Preoperative embolization of cerebral arteriovenous malformations with silk sutures: analysis and clinical correlation of complications revealed on computerized tomography scanning, 955
Pure sylvian fissure arteriovenous malformations, 39
Repeated radiosurgery for incompletely obliterated arteriovenous malformations, 961
Astrocytoma
Treatment of progressive or recurrent pediatric malignant supratentorial brain tumors with *herpes simplex virus thymidine kinase* gene vector–producer cells followed by intravenous ganciclovir administration, 249
Atherosclerosis
Stent-assisted angioplasty of intracranial vertebrobasilar atherosclerosis: an initial experience, 771

Baclofen
Continuous intrathecal pump infusion of baclofen with antibiotic drugs for treatment of pump-associated meningitis. Case report, 347
Balloon angioplasty
Transluminal balloon angioplasty for prevention of vasospasm. Letter, 369, 370
Bleeding risk
Bleeding risk of cerebral vascular malformations in hereditary hemorrhagic telangiectasia, 779
Blood flow
Altered diffusion and perfusion in hydrocephalic rat brain: a magnetic resonance imaging analysis, 442
Blood pressure
Cerebral hemorrhage and edema following brain biopsy in rats: significance of mean arterial blood pressure, 100
Evaluation of a method for noninvasive intracranial pressure assessment during infusion studies in patients with hydrocephalus, 793
Blood–brain barrier
Brain tissue oxygenation. Letter, 736, 737
In vivo assessment of the window of barrier opening after osmotic blood–brain barrier disruption in humans, 599
Neuroprotective effects of citicoline on brain edema and blood–brain barrier breakdown after traumatic brain injury, 448
Solitary metastasis to the choroid plexus. Case illustration, 506
Bone growth
Bone regeneration at rabbit skull defects treated with transforming growth factor–β1 incorporated into hydrogels with different levels of biodegradability, 315
Bone wax
Bone wax as a cause of foreign body granuloma in the cerebellopontine angle. Case illustration, 362
Pneumocephalus causing pulsatile tinnitus. Case illustration, 505
Book review
Germano IM (ed). *Neurosurgical Treatment of Movement Disorders Neurosurgical Topics*, 190
Grossman RG, Loftus CM (eds). *Principles of Neurosurgery, ed 2*, 507
Krisht AF, Tindall GT. *Pituitary Disorders*, 891
Laws ER Jr, Udvarhelyi GB (eds). *The Genesis of Neurosurgery by A. Earl Walker*, 734
Rengachary SS, Benzel EC (eds). *Calvarial and Dural Reconstruction. Neurosurgical Topics*, 1066
Welch WC, Jacobs GB, Jackson RP. *Operative Spine Surgery*, 366
Bradykinin
Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853
Brain edema
Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853
Brain injury
No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury, 7
Brain neoplasm
Adult choroid plexus papilloma of the posterior fossa mimicking a hemangioblastoma. Case report, 870
Correspondence between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: comparison with intraoperative stimulation in patients with brain tumors, 589
Gamma surgery for intracranial metastases from renal cell carcinoma, 760
Paracrine delivery of IL-12 against intracranial 9L gliosarcoma in rats, 419
Primary intracerebral malignant lymphoma: report of 248 cases, 261
Thymidine kinase activation of ganciclovir in recurrent malignant gliomas: a gene-marking and neuropathological study, 804
Brainstem lesion
Magnetic resonance imaging and brainstem injury. Letter, 896
Brucella melitensis
Chronic intracerebral *Brucella* abscess. Case illustration, 189

Calcification
Densely calcified anterior cerebral arteries. Case illustration, 364
Incidence and clinical features of asymptomatic meningiomas, 766
Cannula
Neural transplantation cannula and microinjector system: experimental and clinical experience. Technical note, 493
CAR
Dependence of efficient adenoviral gene delivery in malignant glioma cells on the expression levels of Coxsackievirus and adenovirus receptor, 1002
Carney complex
Neurosurgical implications of Carney complex, 413
Carotid artery
Patient presentation, angiographic features, and treatment of strangula-

Index

Carotid artery (*continued*)
tion-induced bilateral dissection of the cervical internal carotid artery. Report of three cases, 481
Use of gadolinium as an intraarterial contrast agent in digital subtraction angiography of the cervical carotid arteries and intracranial circulation. Technical note, 881
Carotid endarterectomy
Clinical outcomes after carotid endarterectomy: comparison of the use of regional and general anesthetics, 291
Catalytic subunit of telomerase
Telomerase activity and expression of the telomerase catalytic subunit, hTERT, in meningioma progression, 832
Cavernous hemangioma
Giant interdural cavernous hemangioma at the convexity. Case illustration, 503
Cavernous sinus
Extradural neural axis compartment, 585
Cell culture
Intracranial injection of human meningioma cells in athymic mice: an orthotopic model for meningioma growth, 306
Primary meningeal melanocytoma of the pineal region. Case report, 461
Cell migration
Locomotion and proliferation of glioblastoma cells in vitro: statistical evaluation of videomicroscopic observations, 428
Central nervous system
Central nervous system leiomyosarcoma in patients with acquired immunodeficiency syndrome. Report of two cases, 688
Primary intracerebral malignant lymphoma: report of 248 cases, 261
Central sulcus
Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
Cerebellar hemorrhage
Clinical significance of pedicle aneurysms on feeding vessels, especially those located in infratentorial arteriovenous malformations, 995
Cerebellar tumor
Telovelar approach to the fourth ventricle: microsurgical anatomy, 812
Cerebellomedullary fissure
Telovelar approach to the fourth ventricle: microsurgical anatomy, 812
Cerebellopontine angle
Bone wax as a cause of foreign body granuloma in the cerebellopontine angle. Case illustration, 362
Microanatomical variations in the cerebellopontine angle associated with vestibular schwannomas (acoustic neuromas): a retrospective study of 1006 consecutive cases, 70
Trigeminal neuralgia due to cerebellopontine angle lipoma. Case illustration, 889
Cerebral blood flow
Brain tissue oxygenation. Letter, 736, 737
Evaluation of a method for noninvasive intracranial pressure assessment during infusion studies in patients with hydrocephalus, 793
Improvement in cerebral blood flow and metabolism following subarachnoid hemorrhage in response to prophylactic administration of the hydroxyl radical scavenger, AVS, (±)-N,N′-propylenedinicotinamide: a positron emission tomography study in rats, 1009
Increased cerebral blood flow but no reversal or prevention of vasospasm in response to L-arginine infusion after subarachnoid hemorrhage, 121
Intracerebral steal phenomenon associated with global hyperemia in moyamoya disease during revascularization surgery, 949
Is cerebral perfusion pressure a major determinant of cerebral blood flow during head elevation in comatose patients with severe intracranial lesions? 606
No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury, 7
Solitary metastasis to the choroid plexus. Case illustration, 506
Cerebral cortex
Somatosensory representation in patients who have undergone hemispherectomy: a functional magnetic resonance imaging study, 45
Cerebral glucose utilization
Improvement in cerebral blood flow and metabolism following subarachnoid hemorrhage in response to prophylactic administration of the hydroxyl radical scavenger, AVS, (±)-N,N′-propylenedinicotinamide: a positron emission tomography study in rats, 1009
Cerebral hemorrhage
Complement activation in the brain after experimental intracerebral hemorrhage, 1016
Cerebral ischemia
Induction of tolerance against ischemia/reperfusion injury in the rat brain by preconditioning with the endotoxin analog diphosphoryl lipid A, 435
Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage, 390
Usefulness of postischemic thrombolysis with or without neuroprotection in a focal embolic model of cerebral ischemia, 841
Cerebral metabolism
No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury, 7
Cerebral palsy
Thalamic stimulation for choreiform movement disorders in children. Report of two cases, 718
Cerebral perfusion pressure
Cerebral perfusion pressure or intracranial pressure? Letter, 191
Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury, 1
Is cerebral perfusion pressure a major determinant of cerebral blood flow during head elevation in comatose patients with severe intracranial lesions? 606
Cerebral vascular malformation
Bleeding risk of cerebral vascular malformations in hereditary hemorrhagic telangiectasia, 779
Cerebrospinal fluid
Acute posterior fossa syndrome following lumbar drainage for treatment of suboccipital pseudomeningocele. Report of three cases, 469
Efficacy of the Ghajar Guide revisited: a prospective study, 801
Risk factors for repeated cerebrospinal shunt failures in pediatric patients with hydrocephalus, 31
Spontaneous intracranial hypotension: myelographic findings. Case illustration, 188
Cerebrospinal fluid leak
Diagnosis of spontaneous intracranial hypotension by using magnetic resonance myelography. Case report, 873
Intracranial hypotension without meningeal enhancement on magnetic resonance imaging. Case report, 475
Cerebrospinal fluid shunt
Risk factors for repeated cerebrospinal shunt failures in pediatric patients with hydrocephalus, 31
Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients, 941
Cerebrovascular reactivity
Intracerebral steal phenomenon associated with global hyperemia in moyamoya disease during revascularization surgery, 949
Charcot Marie Tooth
Microvascular decompression for trigeminal neuralgia in Charcot-Marie-Tooth disease. Report of three cases, 715
Chiari malformation
Asymptomatic Chiari Type I malformations identified on magnetic resonance imaging, 920
Childhood epilepsy
Temporal lobectomy in children: cognitive outcome, 24
Children
Risk factors for repeated cerebrospinal shunt failures in pediatric patients with hydrocephalus, 31
Treatment of progressive or recurrent pediatric malignant supratentorial brain tumors with *herpes simplex virus thymidine kinase* gene vector–producer cells followed by intravenous ganciclovir administration, 249
Chordoma
Intrasellar chordomas mimicking pituitary adenoma, 976
Chorea
Thalamic stimulation for choreiform movement disorders in children. Report of two cases, 718
Choroid plexus
Adult choroid plexus papilloma of the posterior fossa mimicking a hemangioblastoma. Case report, 870
Solitary metastasis to the choroid plexus. Case illustration, 506

Chromosome marker
Long survival and therapeutic responses in patients with histologically disparate high-grade gliomas demonstrating chromosome 1p loss, 983
Clipping
Early aneurysm recurrence after technically satisfactory Guglielmi detachable coil therapy: is early surveillance needed? Case report, 355
Clivus
Quantitative description of the far-lateral transcondylar transtubercular approach to the foramen magnum and clivus, 824
Clusterin
Complement activation in the brain after experimental intracerebral hemorrhage, 1016
Codman Hakim programmable valve
Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients, 941
Cognitive impairment
Cognitive outcome following pallidotomy: the influence of side of surgery and age of patient at disease onset, 384
Colloid cyst
Colloid cysts. Letter, 903–906
Coma
Pupils and coma. Letter, 908, 909
Common carotid artery
Pretreatment with continuous-wave ultraviolet irradiation to prevent the development of delayed vasospasm in the rabbit common carotid artery model, 671
Computerized tomography
Densely calcified anterior cerebral arteries. Case illustration, 364
Iatrogenic pneumocephalus. Letter, 1069
Incidence and clinical features of asymptomatic meningiomas, 766
Preoperative embolization of cerebral arteriovenous malformations with silk sutures: analysis and clinical correlation of complications revealed on computerized tomography scanning, 955
Use of spiral computerized tomography angiography in patients with subarachnoid hemorrhage in whom subtraction angiography did not reveal cerebral aneurysms, 278
Congenital tumor
Congenital primary cerebral angiosarcoma. Case report, 466
Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Contrast medium
Use of gadolinium as an intraarterial contrast agent in digital subtraction angiography of the cervical carotid arteries and intracranial circulation. Technical note, 881
Cortex
Activation of the anterior cingulate cortex by thalamic stimulation in patients with chronic pain: a positron emission tomography study, 64
Cortical localization
Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
Cortical stimulation
Correspondence between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: comparison with intraoperative stimulation in patients with brain tumors, 589
Corticospinal tract
Diffusion-weighted magnetic resonance imaging in the early evaluation of corticospinal tract injury to predict functional motor outcome in patients with deep intracerebral hemorrhage, 58
Cranial base
A giant intracranial mucocele associated with an orbitoethmoidal osteoma. Case report, 697
Cranial defect
Bone regeneration at rabbit skull defects treated with transforming growth factor–β1 incorporated into hydrogels with different levels of biodegradability, 315
Cranial tumor
Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Craniopharyngioma
Phase II evaluation of interferon-α–2a for progressive or recurrent craniopharyngiomas, 255
Resection of suprasellar tumors using a modified transsphenoidal approach, 1028
Craniosynostosis
Fibroblast growth factor receptor 3 mutation in nonsyndromic coronal synostosis: clinical spectrum, prevalence, and surgical outcome, 631
Cushing's syndrome
Neurosurgical implications of Carney complex, 413
Cyst
Cyst of the transverse ligament. Letter, 1068
Endoscopic management of cysticercal cysts within the lateral and third ventricles, 14
Cysticercosis
Endoscopic management of cysticercal cysts within the lateral and third ventricles, 14

Deep brain stimulation
Pallidal stimulation for generalized dystonia. Report of three cases, 453
Detachable coil
Clinical presentation and management of giant anterior communicating artery region aneurysms, 267
Diffuse axonal injury
Magnetic resonance imaging and brainstem injury. Letter, 896
Dipole modeling
Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
Dissemination
Magnetic resonance appearance of multiple intracranial epidermoid cysts: intrathecal seeding of the cysts? Case report, 711
DNA ploidy
Intrasellar chordomas mimicking pituitary adenoma, 976
DNA transfer
Marked inhibition of glioblastoma target cell tumorigenicity in vitro by retrovirus-mediated transfer of a hairpin ribozyme against deletion-mutant *epidermal growth factor* messenger RNA, 297
Dr. Charles G. Drake
Origin of the Drake fenestrated aneurysm clip. Historical vignette, 1056
Dura mater
Giant interdural cavernous hemangioma at the convexity. Case illustration, 503
Dural arteriovenous fistula
Histopathological study of venous aneurysms in patients with dural arteriovenous fistulas, 1023
Selective transvenous liquid embolization of a Type 1 dural arteriovenous fistula at the junction of the transverse and sigmoid sinuses. Case report, 1045
Dysembryoplastic neuroepithelial tumor
Malignant transformation of a dysembryoplastic neuroepithelial tumor. Case report, 722
Dystonia
Long-term follow-up study of chronic globus pallidus internus stimulation for posttraumatic hemidystonia. Case report, 457
Pallidal stimulation for generalized dystonia. Report of three cases, 453

Edema
Cerebral hemorrhage and edema following brain biopsy in rats: significance of mean arterial blood pressure, 100
Intracerebral administration of interleukin-1β and induction of inflammation, apoptosis, and vasogenic edema, 108
Neuroprotective effects of citicoline on brain edema and blood–brain barrier breakdown after traumatic brain injury, 448
Electron microscopy
Intrasellar chordomas mimicking pituitary adenoma, 976
Electrooculogram
Intraoperative monitoring of electrooculograms. Letter, 1077, 1078
Embolization
Early aneurysm recurrence after technically satisfactory Guglielmi detachable coil therapy: is early surveillance needed? Case report, 355
Hydrocephalus: comparison of clipping and embolization in aneurysm treatment. Case report, 991
Preoperative embolization of cerebral arteriovenous malformations with silk sutures: analysis and clinical correlation of complications revealed on computerized tomography scanning, 955

Index

Embryonic graft
Neural transplantation cannula and microinjector system: experimental and clinical experience. Technical note, 493
Encephalocele
Spontaneous resolution of a sphenoid sinus encephalocele. Case illustration, 501
Endoscopy
Endoscopic approach. Letter, 1073
Endoscopic management of cysticercal cysts within the lateral and third ventricles, 14
Endothelin
Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage, 390
Epidermoid cyst
Pineal epidermoid cysts. Letter, 909
Epilepsy
Cortical motor and somatosensory representation: effect of cerebral lesions, 242
Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
Somatosensory representation in patients who have undergone hemispherectomy: a functional magnetic resonance imaging study, 45
Epstein–Barr virus
Central nervous system leiomyosarcoma in patients with acquired immunodeficiency syndrome. Report of two cases, 688
External ventricular drainage
Efficacy of the Ghajar Guide revisited: a prospective study, 801
Extracellular matrix
Disruption of intracerebral progression of C6 rat glioblastoma by in vivo treatment with anti-CD44 monoclonal antibody, 140
Extradural hematoma
Selective transvenous liquid embolization of a Type 1 dural arteriovenous fistula at the junction of the transverse and sigmoid sinuses. Case report, 1045

Far-lateral approach
Quantitative description of the far-lateral transcondylar transtubercular approach to the foramen magnum and clivus, 824
Fenestrated aneurysm clip
Origin of the Drake fenestrated aneurysm clip. Historical vignette, 1056
Fibrin
Prevention of subdural fluid collections following transcortical intraventricular and/or paraventricular procedures by using fibrin adhesive, 406
Fibroblast growth factor receptor 3
Fibroblast growth factor receptor 3 mutation in nonsyndromic coronal synostosis: clinical spectrum, prevalence, and surgical outcome, 631
Fibrous dysplasia
Visual loss associated with fibrous dysplasia of the anterior skull base. Case report and review of the literature, 350
Flushing
Flushing in relation to possible rise in intracranial pressure: documentation of an unusual clinical sign. Report of five cases, 1040
Focal cerebral ischemia
Neuroprotective effect of postischemic administration of progesterone in spontaneously hypertensive rats with focal cerebral ischemia, 848
Foramen magnum
Quantitative description of the far-lateral transcondylar transtubercular approach to the foramen magnum and clivus, 824
Fourth ventricle
Isolated Rosai–Dorfman disease of the fourth ventricle. Case illustration, 890
Neuroendoscopic aqueductal stent placement procedure for isolated fourth ventricle after ventricular shunt placement. Case report, 1036
Telovelar approach to the fourth ventricle: microsurgical anatomy, 812
Free radical
Induction of tolerance against ischemia/reperfusion injury in the rat brain by preconditioning with the endotoxin analog diphosphoryl lipid A, 435
Free radical (*continued*)
Neuroprotection by the stable nitroxide Tempol during reperfusion in a rat model of transient focal ischemia, 646
Functional cortex
Magnetic source imaging and brain surgery: presurgical and intraoperative planning in 26 patients, 79
Functional neurosurgery
Bilateral subthalamic stimulation for Parkinson's disease by using three-dimensional stereotactic magnetic resonance imaging and electrophysiological guidance, 615

Gamma knife
Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
Gamma surgery for intracranial metastases from renal cell carcinoma, 760
Gamma surgery for vestibular schwannoma, 745
Gamma surgery
Gamma surgery for vestibular schwannoma. Letter, 892, 894, 895
Ganciclovir
Thymidine kinase activation of ganciclovir in recurrent malignant gliomas: a gene-marking and neuropathological study, 804
Ganglioglioma
Ganglioglioma in a patient with Turcot syndrome. Case report, 170
Ganglion cyst
Recurrent intraneural ganglion cyst of the tibial nerve. Case report, 334
Gelastic seizure
Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
Gene therapy
An implantable guide-screw system for brain tumor studies in small animals, 326
Inhibitory effect of antisense epidermal growth factor receptor RNA on the proliferation of rat C6 glioma cells in vitro and in vivo, 132
Promotion of survival and regeneration of nigral dopamine neurons in a rat model of Parkinson's disease after implantation of embryonal carcinoma–derived neurons genetically engineered to produce glial cell line–derived neurotrophic factor, 659
Thymidine kinase activation of ganciclovir in recurrent malignant gliomas: a gene-marking and neuropathological study, 804
Treatment of progressive or recurrent pediatric malignant supratentorial brain tumors with *herpes simplex virus thymidine kinase* gene vector–producer cells followed by intravenous ganciclovir administration, 249
Ghajar guide
Efficacy of the Ghajar Guide revisited: a prospective study, 801
Giant aneurysm
Clinical presentation and management of giant anterior communicating artery region aneurysms, 267
Glioblastoma multiforme
Disruption of intracerebral progression of C6 rat glioblastoma by in vivo treatment with anti-CD44 monoclonal antibody, 140
Genetic reflection of glioblastoma biopsy material in xenografts: characterization of 11 glioblastoma xenograft lines by comparative genomic hybridization, 652
Locomotion and proliferation of glioblastoma cells in vitro: statistical evaluation of videomicroscopic observations, 428
Long survival and therapeutic responses in patients with histologically disparate high-grade gliomas demonstrating chromosome 1p loss, 983
Marked inhibition of glioblastoma target cell tumorigenicity in vitro by retrovirus-mediated transfer of a hairpin ribozyme against deletion-mutant *epidermal growth factor* receptor messenger RNA, 297
Right temporal lobe glioblastoma presenting in the left orbit. Case report, 702
Thymidine kinase activation of ganciclovir in recurrent malignant gliomas: a gene-marking and neuropathological study, 804
Treatment of progressive or recurrent pediatric malignant supratentorial brain tumors with *herpes simplex virus thymidine kinase* gene vector–producer cells followed by intravenous ganciclovir administration, 249

Glioma
Dependence of efficient adenoviral gene delivery in malignant glioma cells on the expression levels of Coxsackievirus and adenovirus receptor, 1002
Genetic reflection of glioblastoma biopsy material in xenografts: characterization of 11 glioblastoma xenograft lines by comparative genomic hybridization, 652
High-grade gliomas with chromosome 1p loss. Letter, 1080, 1081
Inhibitory effect of antisense epidermal growth factor receptor RNA on the proliferation of rat C6 glioma cells in vitro and in vivo, 132
An implantable guide-screw system for brain tumor studies in small animals, 326
Paracrine delivery of IL-12 against intracranial 9L gliosarcoma in rats, 419
Glutamate
Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853
Graft
Neural transplantation cannula and microinjector system: experimental and clinical experience. Technical note, 493
Growth factor
Bone regeneration at rabbit skull defects treated with transforming growth factor–β1 incorporated into hydrogels with different levels of biodegradability, 315
Marked inhibition of glioblastoma target cell tumorigenicity in vitro by retrovirus-mediated transfer of a hairpin ribozyme against deletion-mutant *epidermal growth factor receptor* messenger RNA, 297

Hamartoma
Malignant transformation of a dysembryoplastic neuroepithelial tumor. Case report, 722
Head injury
Flushing in relation to a possible rise in intracranial pressure: documentation of an unusual clinical sign. Report of five cases, 1040
Hypothermia and head injury. Letter, 1074, 1075
Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury, 1
Pneumoangiogram in a patient with severe head injury. Case illustration, 502
Spontaneous resolution of a sphenoid sinus encephalocele. Case illustration, 501
Head position
Is cerebral perfusion pressure a major determinant of cerebral blood flow during head elevation in comatose patients with severe intracranial lesions? 606
Hearing
Gamma surgery for vestibular schwannoma, 745
Hemangioblastoma
Resection of suprasellar tumors by using a modified transsphenoidal approach. Report of four cases, 1028
Hemispherectomy
Somatosensory representation in patients who have undergone hemispherectomy: a functional magnetic resonance imaging study, 45
Hemorrhage
Cerebral hemorrhage and edema following brain biopsy in rats: significance of mean arterial blood pressure, 100
Intracranial hemorrhage and ventriculoperitoneal shunts. Letter, 1073, 1074
Hereditary hemorrhagic telangiectasia
Bleeding risk of cerebral vascular malformations in hereditary hemorrhagic telangiectasia, 779
Histiocytosis
Isolated Rosai–Dorfman disease of the fourth ventricle. Case illustration, 890
History of aneurysm surgery
Origin of the Drake fenestrated aneurysm clip. Historical vignette, 1056
Hydrocephalus
Altered diffusion and perfusion in hydrocephalic rat brain: a magnetic resonance imaging analysis, 442
Development of an arachnoid cyst after ventriculoperitoneal shunt placement. Case illustration, 363
Hydrocephalus (*continued*)
Endoscopic management of cysticercal cysts within the lateral and third ventricles, 14
Evaluation of a method for noninvasive intracranial pressure assessment during infusion studies in patients with hydrocephalus, 793
Flushing in relation to a possible rise in intracranial pressure: documentation of an unusual clinical sign. Report of five cases, 1040
Hydrocephalus: comparison of clipping and embolization in aneurysm treatment. Case report, 991
Imaging correlates of successful endoscopic third ventriculostomy, 915
In vivo intracranial pressure dynamics in patients with hydrocephalus treated by shunt placement, 927
Pathophysiology of long-standing overt ventriculomegaly in adults, 933
Risk factors for repeated cerebrospinal shunt failures in pediatric patients with hydrocephalus, 31
Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients, 941
Third ventriculostomy. Letter, 511
Hydroxyl radical scavenger
Improvement in cerebral blood flow and metabolism following subarachnoid hemorrhage in response to prophylactic administration of the hydroxyl radical scavenger, AVS, (±)-N,N′-propylenedinicotinamide: a positron emission tomography study in rats, 1009
Hyperprolactinemia
High prolactin level. Letter, 368
Hyperventilation
No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury, 7
Hypotension
Adverse effects of limited hypotensive anesthesia on the outcome of patients with subarachnoid hemorrhage, 971
Intracranial hypotension without meningeal enhancement on magnetic resonance imaging. Case report, 475
Hypothalamic hamartoma
Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
Hypothermia
Comparative neuroprotective efficacy of prolonged moderate intraischemic and postischemic hypothermia in focal cerebral ischemia, 91
Hypothermia and head injury. Letter, 1074, 1075
Hypoxanthine
Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853

Immunohistochemistry
Intrasellar chordomas mimicking pituitary adenoma, 976
Immunosuppression
Reduced xenograft rejection in rat striatum after pretransplant photodynamic therapy of murine neural xenografts, 127
Immunotherapy
Paracrine delivery of IL-12 against intracranial 9L gliosarcoma in rats, 419
Infantile hemangioendothelioma
Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Inferior medullary velum
Telovelar approach to the fourth ventricle: microsurgical anatomy, 812
Innervation anomaly
Marinacci communication. Case report, 860
Insula
Arteries of the insula, 676
Insula cortex
Pure sylvian fissure arteriovenous malformations, 39
Integrin
Dependence of efficient adenoviral gene delivery in malignant glioma cells on the expression levels of Coxsackievirus and adenovirus receptor, 1002
Intelligence
Temporal lobectomy in children: cognitive outcome, 24

Index

Interferon
Phase II evaluation of interferon-α–2a for progressive or recurrent craniopharyngiomas, 255
Interictal spike
Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
Interleukin-1β
Intracerebral administration of interleukin-1β and induction of inflammation, apoptosis, and vasogenic edema, 108
Internal auditory canal
False-positive findings on magnetic resonance imaging mimicking vestibular schwannoma. Case illustration, 733
Internuclear ophthalmoplegia
Benign aqueductal cyst causing bilateral internuclear ophthalmoplegia after external ventricular drainage. Case report, 490
Interventional neuroradiology
Clinical significance of pedicle aneurysms on feeding vessels, especially those located in infratentorial arteriovenous malformations, 995
Stent-assisted angioplasty of intracranial vertebrobasilar atherosclerosis: an initial experience, 771
Intracanalicular lesions
False-positive findings on magnetic resonance imaging mimicking vestibular schwannoma. Case illustration, 733
Intracerebral hematoma
A transparent sheath for endoscopic surgery and its application in surgical evacuation of spontaneous intracerebral hematomas. Technical note, 1053
Intracerebral hemorrhage
Diffusion-weighted magnetic resonance imaging in the early evaluation of corticospinal tract injury to predict functional motor outcome in patients with deep intracerebral hemorrhage, 58
Usefulness of postischemic thrombolysis with or without neuroprotection in a focal embolic model of cerebral ischemia, 841
Intracranial foreign body
Bone wax as a cause of foreign body granuloma in the cerebellopontine angle. Case illustration, 362
Intracranial hypertension
Flushing in relation to a possible rise in intracranial pressure: documentation of an unusual clinical sign. Report of five cases, 1040
Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury, 1
Intracranial intraparenchymal meningioma
Intraparenchymal meningioma originating from underlying meningioangiomatosis. Cse report and review of the literature. 706
Intracranial lipoma
Trigeminal neuralgia due to cerebellopontine angle lipoma. Case illustration, 889
Intracranial pressure
Cerebral perfusion pressure or intracranial pressure? Letter, 191
Diagnosis of spontaneous intracranial hypotension by using magnetic resonance myelography. Case report, 873
Evaluation of a method for noninvasive intracranial pressure assessment during infusion studies in patients with hydrocephalus, 793
Increased intracranial pressure resulting in a pulsatile aneurysm. Case illustration, 365
Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury, 1
In vivo intracranial pressure dynamics in patients with hydrocephalus treated by shunt placement, 927
Is cerebral perfusion pressure a major determinant of cerebral blood flow during head elevation in comatose patients with severe intracranial lesions? 606
New concept for the pressure setting of a programmable pressure valve and measurement of in vivo shunt flow performed using a microflowmeter. Technical note, 181
Papaverine and vasospasm. Letter, 509, 510
Intraparencymal lesion
Malignant intracerebral nerve sheath tumor with intratumoral calcification. Case report, 338
Intrathecal drug infusion
Continuous intrathecal pump infusion of baclofen with antibiotic drugs for treatment of pump-associated meningitis. Case report, 347
Intraventricular tumor
Prevention of subdural fluid collections following transcortical intraventricular and/or paraventricular procedures by using fibrin adhesive, 406
Ischemia
Neuroprotection by the stable nitroxide Tempol during reperfusion in a rat model of transient focal ischemia, 646

Laminectomy
Terminology confusion in spinal surgery: laminotomy, laminoplasty, laminectomy. Letter, 371
Laminoplasty
Terminology confusion in spinal surgery: laminotomy, laminoplasty, laminectomy. Letter, 371
Laminotomy
Terminology confusion in spinal surgery: laminotomy, laminoplasty, laminectomy. Letter, 371
Laser
Pretreatment with continuous-wave ultraviolet irradiation to prevent the development of delayed vasospasm in the rabbit common carotid artery model, 671
Leiomyosarcoma
Central nervous system leiomyosarcoma in patients with acquired immunodeficiency syndrome. Report of two cases, 688
Lenticulostriate artery
Arteries of the insula, 676
Limbic system
Arteries of the insula, 676
Lipomyelomeningocele
Tethered cord syndrome in children with anorectal malformations, 626
Lymphadenopathy
Isolated Rosai–Dorfman disease of the fourth ventricle. Case illustration, 890
Lymphoma
Solitary sciatic nerve lymphoma as an initial manifestation of diffuse neurolymphomatosis. Case report and review of the literature, 165

Macrocephaly
Pathophysiology of long-standing overt ventriculomegaly in adults, 933
Magnetic resonance angiography
Densely calcified anterior cerebral arteries. Case illustration, 364
Magnetic resonance imaging
Acute posterior fossa syndrome following lumbar drainage for treatment of suboccipital pseudomeningocele. Report of three cases, 469
Adult choroid plexus papilloma of the posterior fossa mimicking a hemangioblastoma. Case report, 870
Altered diffusion and perfusion in hydrocephalic rat brain: a magnetic resonance imaging analysis, 442
Bilateral subthalamic stimulation for Parkinson's disease by using three-dimensional stereotactic magnetic resonance imaging and electrophysiological guidance, 615
Cerebral hemorrhage and edema following brain biopsy in rats: significance of mean arterial blood pressure, 100
Correspondence between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: comparison with intraoperative stimulation in patients with brain tumors, 589
Diagnosis of spontaneous intracranial hypotension by using magnetic resonance myelography. Case report. 873
Diffusion-weighted magnetic resonance imaging in the early evaluation of corticospinal tract injury to predict functional motor outcome in patients with deep intracerebral hemorrhage, 58
False-positive findings on magnetic resonance imaging mimicking vestibular schwannoma. Case illustration, 733
Giant interdural cavernous hemangioma at the convexity. Case illustration, 503
Incidence and clinical features of asymptomatic meningiomas, 766
Intracranial hypotension without meningeal enhancement on magnetic resonance imaging. Case report, 475
Magnetic resonance imaging and brainstem injury. Letter, 896
Tuberculosis of the skull. Case illustration, 1065

Magnetic resonance myelography
Diagnosis of spontaneous intracranial hypotension by using magnetic resonance myelography. Case report, 873
Magnetic resonance tomographic angiography
Microvascular decompression for trigeminal neuralgia in Charcot-Marie-Tooth disease. Report of three cases, 715
Magnetic source imaging
Magnetic source imaging. Letter, 1079, 1080
Magnetic source imaging and brain surgery: presurgical and intraoperative planning in 26 patients, 79
Malignant transformation
Malignant transformation of a dysembryoplastic neuroepithelial tumor. Case report, 722
Mannitol
In vivo assessment of the window of barrier opening after osmotic blood–brain barrier disruption in humans, 599
Mathematical theory
Mathematical theory of stereotactic coordinate transformation: elimination of rotational targeting error by addition of a third reference point. Technical note, 884
Meckel's cave
Retrosigmoid intradural suprameatal approach to Meckel's cave and the middle fossa: surgical technique and outcome, 235
Median nerve
Bilateral median nerve compression at the level of Struthers' ligament. Case report, 693
Marinacci communication. Case report, 860
Median nerve penetration by an anomalous tendon. Case illustration, 500
Membrane attack complex
Complement activation in the brain after experimental intracerebral hemorrhage, 1016
Meningeal enhancement
Spontaneous intracranial hypotension: myelographic findings. Case illustration, 188
Meningioangiomatosis
Intraparenchymal meningioma originating from underlying meningioangiomatosis. Case report and review of the literature, 706
Meningioma
Incidence and clinical features of asymptomatic meningiomas, 766
Intracranial injection of human meningioma cells in athymic mice: an orthotopic model for meningioma growth, 306
Intraparenchymal meningioma originating from underlying meningioangiomatosis. Case report and review of the literature, 706
Long-term follow up of progesterone receptor status in benign meningioma: a prognostic indicator of recurrence? 401
Meningioma recurrence. Letter, 897, 898
Retrosigmoid intradural suprameatal approach to Meckel's cave and the middle fossa: surgical technique and outcome, 235
Telomerase activity and expression of the telomerase catalytic subunit, hTERT, in meningioma progression, 832
Meningitis
Continuous intrathecal pump infusion of baclofen with antibiotic drugs for treatment of pump-associated meningitis. Case report, 347
Metastasis
Gamma surgery for intracranial metastases from renal cell carcinoma, 760
Right temporal lobe glioblastoma presenting in the left orbit. Case report, 702
Solitary metastasis to the choroid plexus. Case illustration, 506
Microsurgery
Clinical presentation and management of giant anterior communicating artery region aneurysms, 267
Microvascular decompression
Microvascular decompression for trigeminal neuralgia in Charcot-Marie-Tooth disease. Report of three cases, 715
Middle biopsy
Cerebral hemorrhage and edema following brain biopsy in rats: significance of mean arterial blood pressure, 100
Middle cerebral artery
Arteries of the insula, 676
Middle cerebral artery occlusion
Comparative neuroprotective efficacy of prolonged moderate intraischemic and postischemic hypothermia in focal cerebral ischemia, 91
Motor cortex
Cortical motor and somatosensory representation: effect of cerebral lesions, 242
Motor cortex stimulation for central and peripheral deafferentation pain. Report of eight cases, 150
Moyamoya disease
Intracerebral steal phenomenon associated with global hyperemia in moyamoya disease during revascularization surgery, 949
Moyamoya disease and transforming growth factor–β1. Letter, 907, 908
Mucocele
A giant intracranial mucocele associated with an orbitoethmoidal osteoma. Case report, 697
Multiple epidermoid cysts
Magnetic resonance appearance of multiple intracranial epidermoid cysts: intrathecal seeding of the cysts? Case report, 711
Mutation
Fibroblast growth factor receptor 3 mutation in nonsyndromic coronal synostosis: clinical spectrum, prevalence, and surgical outcome, 631

N-acetylheparin
Complement activation in the brain after experimental intracerebral hemorrhage, 1016
Neonate
Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Nerve
Nerve transfer. Letter, 1068, 1069
Recurrent intraneural ganglion cyst of the tibial nerve. Case report, 334
Nerve connection
Marinacci communication. Case report, 860
Nerve dislocation
Unrecognized dislocation of the medial portion of the triceps: another cause of failed ulnar nerve transposition, 52
Nerve transposition
Unrecognized dislocation of the medial portion of the triceps: another cause of failed ulnar nerve transposition, 52
Neural implantation
Neural transplantation cannula and microinjector system: experimental and clinical experience. Technical note, 493
Neural transplantation
Enhancement of survival of stored dopaminergic cells and promotion of graft survival by exposure of human fetal nigral tissue to glial cell line–derived neurotrophic factor in patients with Parkinson's disease. Report of two cases and technical considerations, 863
Neuroendoscopic surgery
Endoscopic approach. Letter, 1073
Neuroendoscopic aqueductal stent placement procedure for isolated fourth ventricle after ventricular shunt placement. Case report, 1036
Pathophysiology of long-standing overt ventriculomegaly in adults, 933
Solitary metastasis to the choroid plexus. Case illustration, 506
A transparent sheath for endoscopic surgery and its application in surgical evacuation of spontaneous intracerebral hematomas. Technical note, 1053
Neurofibromatosis
Malignant peripheral nerve sheath tumors in the setting of segmental neurofibromatosis. Case report, 342
Neurological deterioration
Incidence and clinical features of asymptomatic meningiomas, 766
Neuroma
Microanatomical variations in the cerebellopontine angle associated with vestibular schwannomas (acoustic neuromas): a retrospective study of 1006 consecutive cases, 70
Neuroprotection
Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853
Neuroscience
Neuroscience education of undergraduate medical students. Part I: role of neurosurgeons as educators, 637
Neuroscience education of undergraduate medical students. Part II: outcome improvement, 642
Neurosurgery
Digital recording in microsurgery. Technical note, 176

Index

Neurosurgery (*continued*)
Long-term follow-up study of chronic globus pallidus internus stimulation for posttraumatic hemidystonia. Case report, 457
Neurosurgical career
Walking Out on the Boys. Letter, 738
Neurosurgical education
Neuroscience education of undergraduate medical students. Part I: role of neurosurgeons as educators, 637
Neuroscience education of undergraduate medical students. Part II: outcome improvement, 642
Undergraduate neuroscience education. Letter, 738, 739
Newborn
Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Non-Hodgkin's lymphoma
Primary intracerebral malignant lymphoma: report of 248 cases, 261
Solitary sciatic nerve lymphoma as an initial manifestation of diffuse neurolymphomatosis. Case report and review of the literature, 165

Oculomotor nerve
Intraoperative monitoring of electrooculograms. Letter, 1077, 1078
Ommaya reservior
Modified stereotactic insertion of the Ommaya reservoir. Technical note, 1050
Operating microscope
Digital recording in microsurgery. Technical note, 176
Ophthalmic artery
Interdural origin of the ophthalmic artery at the dural ring of the internal carotid artery. Report of two cases, 488
Orbit
Extradural neural axis compartment, 585
Right temporal lobe glioblastoma presenting in the left orbit. Case report, 702
Orthostatic headache
Spontaneous intracranial hypotension: myelographic findings. Case illustration, 188
Osteoma
A giant intracranial mucocele associated with an orbitoethmoidal osteoma. Case report, 697
Oxyhemoglobin
Oxyhemoglobin and apoptosis. Letter, 899, 900

p53
Dependence of efficient adenoviral gene delivery in malignant glioma cells on the expression levels of Coxsackievirus and adenovirus receptor, 1002
Pain
Activation of the anterior cingulate cortex by thalamic stimulation in patients with chronic pain: a positron emission tomography study, 64
Pallidotomy
Bilateral pallidotomy. Letter, 509
Cognitive outcome following pallidotomy: the influence of side of surgery and age of patient at disease onset, 384
Pallidal stimulation for generalized dystonia. Report of three cases, 453
Stereotactic pallidotomy performed without using microelectrode guidance in patients with Parkinson's disease: surgical technique and 2-year results, 375
Papaverine
Efficacy of transluminal angioplasty for the management of symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 284
Papilloma
Adult choroid plexus papilloma of the posterior fossa mimicking a hemangioblastoma. Case report, 870
Parkinson's disease
Bilateral pallidotomy. Letter, 509
Bilateral subthalamic stimulation for Parkinson's disease by using three-dimensional stereotactic magnetic resonance imaging and electrophysiological guidance, 615
Cognitive outcome following pallidotomy: the influence of side of surgery and age of patient at disease onset, 384
Parkinson's disease (*continued*)
Enhancement of survival of stored dopaminergic cells and promotion of graft survival by exposure of human fetal nigral tissue to glial cell line–derived neurotrophic factor in patients with Parkinson's disease. Report of two cases and technical considerations, 863
Neural transplantation cannula and microinjector system: experimental and clinical experience. Technical note, 493
Reduced xenograft rejection in rat striatum after pretransplant photodynamic therapy of murine neural xenografts, 127
Stereotactic pallidotomy performed without using microelectrode guidance in patients with Parkinson's disease: surgical technique and 2-year results, 375
Pathophysiology
Histopathological study of venous aneurysms in patients with dural arteriovenous fistulas, 1023
Pathophysiology of syringomyelia. Letter, 1069-1071
Pediatric neurosurgery
Flushing in relation to a possible rise in intracranial pressure: documentation of an unusual clinical sign. Report of five cases. 1040
Pediatric tumor
Treatment of progressive or recurrent pediatric malignant supratentorial brain tumors with *herpes simplex virus thymidine kinase* gene vector–producer cells followed by intravenous ganciclovir administration, 249
Peripheral nerve
Malignant peripheral nerve sheath tumors in the setting of segmental neurofibromatosis. Case report, 342
Recurrent intraneural ganglion cyst of the tibial nerve. Case report, 334
Peripheral neuropathy
Bilateral median nerve compression at the level of Struthers' ligament. Case report, 693
Peritumoral edema
Meningioma recurrence. Letter, 897, 898
Petrous bone
Retrosigmoid intradural suprameatal approach to Meckel's cave and the middle fossa: surgical technique and outcome, 235
Phantom limb pain
Motor cortex stimulation for central pain and peripheral deafferentation pain. Report of eight cases, 150
Photodynamic therapy
Reduced xenograft rejection in rat striatum after pretransplant photodynamic therapy of murine neural xenografts, 127
Pineal cyst
Pineal epidermoid cysts. Letter, 909
Pineal region
Primary meningeal melanocytoma of the pineal region. Case report, 461
Pituitary adenoma
Double pituitary adenomas detected on preoperative magnetic resonance images. Case illustration, 361
Modification of a nasal speculum for transsphenoidal surgery. Technical note, 359
Neurosurgical implications of Carney complex, 413
Pneumocephalus
Iatrogenic pneumocephalus. Letter, 1069
Polypsosis coli
Ganglioglioma in a patient with Turcot syndrome. Case report, 170
Positron emission tomography
Activation of the anterior cingulate cortex by thalamic stimulation in patients with chronic pain: a positron emission tomography study, 64
Cortical motor and somatosensory representation: effect of cerebral lesions, 242
Improvement in cerebral blood flow and metabolism following subarachnoid hemorrhage in response to prophylactic administration of the hydroxyl radical scavenger, AVS, (±)-N,N'-propylenedinicotinamide: a positron emission tomography study in rats, 1009
No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury, 7
Scintigraphic pitfall: delayed radionecrosis. Case illustration, 732
Posterior fossa
Asymptomatic Chiari Type I malformations identified on magnetic resonance imaging. 920
Posterior inferior cerebellar artery
Extradural posterior inferior cerebellar artery. Letter, 902, 903

Precocious puberty
Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
Pressure adjustable valve
Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients. 941
Progesterone
Long-term follow up of progesterone receptor status in benign meningioma: a prognostic indicator of recurrence? 401
Neuroprotective effect of postischemic administration of progesterone in spontaneously hypertensive rats with focal cerebral ischemia, 848
Programmable Medos valve
Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients. 941
Prolactin
High prolactin level. Letter, 368
Proliferation
Locomotion and proliferation of glioblastoma cells in vitro: statistical evaluation of videomicroscopic observations, 428
Pseudomeningocele
Acute posterior fossa syndrome following lumbar drainage for treatment of suboccipital pseudomeningocele. Report of three cases, 469
Pupil
Pupils and coma. Letter, 908, 909

Rabbit
Pretreatment with continuous-wave ultraviolet irradiation to prevent the development of delayed vasospasm in the rabbit common carotid artery model, 671
Radiation necrosis
Scintigraphic pitfall: delayed radionecrosis. Case illustration, 732
Radiosurgery
Gamma knife radiosurgery for hypothalamic hamartomas in patients with medically intractable epilepsy and precocious puberty. Report of two cases, 726
Gamma surgery for intracranial metastases from renal cell carcinoma, 760
Gamma surgery for vestibular schwannoma, 745
Repeated radiosurgery for incompletely obliterated arteriovenous malformations, 961
Rami frontalis orbicularis
Subfascial and submuscular methods of temporal muscle dissection and their relationship to the frontal branch of the facial nerve. Technical note, 877
Rat
Complement activation in the brain after experimental intracerebral hemorrhage, 1016
Usefulness of postischemic thrombolysis with or without neuroprotection in a focal embolic model of cerebral ischemia, 841
Regeneration
Bone regeneration at rabbit skull defects treated with transforming growth factor–β1 incorporated into hydrogels with different levels of biodegradability, 315
Regional anesthetic
Clinical outcomes after carotid endarterectomy: comparison of the use of regional and general anesthetics, 291
Renal cell carcinoma
Gamma surgery for intracranial metastases from renal cell carcinoma, 760
Renal failure
Use of gadolinium as an intraarterial contrast agent in digital subtraction angiography of the cervical carotid arteries and intracranial circulation. Technical note, 881

Schwannoma
Microanatomical variations in the cerebellopontine angle associated with vestibular schwannomas (acoustic neuromas): a retrospective study of 1006 consecutive cases, 70
Neurosurgical implications of Carney complex, 413
Sciatic nerve
Solitary sciatic nerve lymphoma as an initial manifestation of diffuse neurolymphomatosis. Case report and review of the literature, 165
Sella turcica
Intrasellar chordomas mimicking pituitary adenoma, 976
Pathophysiology of long-standing overt ventriculomegaly in adults, 933
Sensorimotor cortex
Correspondence between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: comparison with intraoperative stimulation in patients with brain tumors, 589
Shunt flow
New concept for the pressure setting of a programmable pressure valve and measurement of in vivo shunt flow performed using a microflow meter. Technical note, 181
Sigmoid sinus
Selective transvenous liquid embolization of a Type 1 dural arteriovenous fistula at the junction of the transverse and sigmoid sinuses. Case report, 1045
Silk suture
Preoperative embolization of cerebral arteriovenous malformations with silk sutures: analysis and clinical correlation of complications revealed on computerized tomography scanning. 955
Single-photon emission computerized tomography
Scintigraphic pitfall: delayed radionecrosis. Case illustration, 732
Sinus histiocytosis
Isolated Rosai–Dorfman disease of the fourth ventricle. Case illustration, 890
Skull
Tuberculosis of the skull. Case illustration, 1065
Skull base
Extradural neural axis compartment, 585
Visual loss associated with fibrous dysplasia of the anterior skull base. Case report and review of the literature, 350
Somatosensory cortex
Cortical motor and somatosensory representation: effect of cerebral lesions, 242
Somatosensory representation in patients who have undergone hemispherectomy: a functional magnetic resonance imaging study, 45
Somatosensory evoked potential
Magnetic source imaging. Letter, 1080
Relationships between the epileptic focus and hand area in central epilepsy: combining dipole models and anatomical landmarks, 785
Spontaneous hypertension
Neuroprotective effect of postischemic administration of progesterone in spontaneously hypertensive rats with focal cerebral ischemia, 848
Spontaneous intracranial hypotension
Diagnosis of spontaneous intracranial hypotension by using magnetic resonance myelography. Case report, 873
Stereotactic neurosurgery
Enhancement of survival of stored dopaminergic cells and promotion of graft survival by exposure of human fetal nigral tissue to glial cell line–derived neurotrophic factor in patients with Parkinson's disease. Report of two cases and technical considerations, 863
Repeated radiosurgery for incompletely obliterated arteriovenous malformations, 961
Stereotactic technique
Modified stereotactic insertion of the Ommaya reservoir. Technical note, 1050
Stereotaxis
Bilateral subthalamic stimulation for Parkinson's disease by using three-dimensional stereotactic magnetic resonance imaging and electrophysiological guidance, 615
Mathematical theory of stereotactic coordinate transformation: elimination of rotational targeting error by addition of a third reference point. Technical note, 884
Quantitative description of the far-lateral transcondylar transtubercular approach to the foramen magnum and clivus, 824
Stereotactic pallidotomy performed without using microelectrode guidance in patients with Parkinson's disease: surgical technique and 2-year results, 375
Stroke
Comparative neuroprotective efficacy of prolonged moderate intraischemic and postischemic hypothermia in focal cerebral ischemia, 91

Index

Stroke (*continued*)
Enlarging vertebrobasilar dolichoectasia with subarachnoid hemorrhage heralded by recurrent ischemia. Case illustration, 504
Intracerebral steal phenomenon associated with global hyperemia in moyamoya disease during revascularization surgery, 949
Neuroprotection by the stable nitroxide Tempol during reperfusion in a rat model of transient focal ischemia, 646
Patient presentation, angiographic features, and treatment of strangulation-induced bilateral dissection of the cervical internal carotid artery. Report of three cases, 481
Struthers ligament
Bilateral median nerve compression at the level of Struthers' ligament. Case report, 693
Subarachnoid hemorrhage
Adverse effects of limited hypotensive anesthesia on the outcome of patients with subarachnoid hemorrhage, 971
Blood-blister-like aneurysms. Letter, 1076
Efficacy of transluminal angioplasty for the management of symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 284
Enlarging vertebrobasilar dolichoectasia with subarachnoid hemorrhage heralded by recurrent ischemia. Case illustration, 504
Hydrocephalus: Comparison of clipping and embolization in aneurysm treatment. Case report, 991
Improvement in cerebral blood flow and metabolism following subarachnoid hemorrhage in response to prophylactic administration of the hydroxyl radical scavenger, AVS, (±)-N,N′-propylenedinicotinamide: a positron emission tomography study in rats, 1009
Increased cerebral blood flow but no reversal or prevention of vasospasm in response to L-arginine infusion after subarachnoid hemorrhage, 121
Papaverine and vasospasm. Letter, 509, 510
Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage, 390
Pretreatment with continuous-wave ultraviolet irradiation to prevent the development of delayed vasospasm in the rabbit common carotid artery model, 671
Tirilazad and subarachnoid hemorrhage. Letter, 508
Transluminal balloon angioplasty for prevention of vasospasm. Letter, 369, 370
Use of spiral computerized tomography angiography in patients with subarachnoid hemorrhage in whom subtraction angiography did not reveal cerebral aneurysms, 278
Subdural hematoma
Pathophysiology of long-standing overt ventriculomegaly in adults, 938
Subfascial submuscular dissection
Subfascial and submuscular methods of temporal muscle dissection and their relationship to the frontalis branch of the facial nerve. Technical note, 877
Subthalamic nucleus
Bilateral subthalamic stimulation for Parkinson's disease by using three-dimensional stereotactic magnetic resonance imaging and electrophysiological guidance, 615
Superficial temporal artery
Subfascial and submuscular methods of temporal muscle dissection and their relationship to the frontal branch of the facial nerve. Technical note, 877
Surgery
Pure sylvian fissure arteriovenous malformations, 39
Surgical approach
Retrosigmoid intradural suprameatal approach to Meckel's cave and the middle fossa: surgical technique and outcome, 235
Surgical treatment
A transparent sheath for endoscopic surgery and its application for surgical evacuation of spontaneous intracerebral hematoma. Technical note, 1053
Sylvian fissure
Arteries of the insula, 676
Pure sylvian fissure arteriovenous malformations, 39
Syringomyelia
Asymptomatic Chiari Type I malformations identified on magnetic resonance imaging, 920
Pathophysiology of syringomyelia. Letter, 1069-1071
Taurine
Significant reduction in brain swelling by administration of nonpeptide kinin B_2 receptor antagonist LF 16–0687Ms after controlled cortical impact injury in rats, 853
Tela choroidea
Telovelar approach to the fourth ventricle: microsurgical anatomy, 812
Telangiectasis
Bleeding risk of cerebral vascular malformations in hereditary hemorrhagic telangiectasia, 779
Telemetry
In vivo intracranial pressure dynamics in patients with hydrocephalus treated by shunt placement, 927
Telomerase
Telomerase activity and expression of the telomerase catalytic subunit, hTERT, in meningioma progression, 832
Temporal lobectomy
Temporal lobectomy in children: cognitive outcome, 24
Tethered spinal cord
Tethered cord syndrome in children with anorectal malformations, 626
Thalamic pain
Motor cortex stimulation for central pain and peripheral deafferentation pain. Report of eight cases, 150
Thalamus
Activation of the anterior cingulate cortex by thalamic stimulation in patients with chronic pain: a positron emission tomography study, 64
Third ventriculostomy
Imaging correlates of successful endoscopic third ventriculostomy, 915
Third ventriculostomy. Letter, 511
Thrombolysis
Usefulness of postischemic thrombolysis with or without neuroprotection in a focal embolic model of cerebral ischemia, 841
Tinnitus
Pneumocephalus causing pulsatile tinnitus. Case illustration, 505
Tirilazad
Tirilazad and subarachnoid hemorrhage. Letter, 508
Toxoplasma
Glioblastoma multiforme in a case of acquired immunodeficiency syndrome: investigating a possible oncogenic influence of human immunodeficiency virus on glial cells. Case report and review of the literature, 161
Transcranial Doppler ultrasound
Evaluation of a method for noninvasive intracranial pressure assessment during infusion studies in patients with hydrocephalus, 793
Transforming growth factor
Moyamoya disease and transforming growth factor–β1. Letter, 907, 908
Transsphenoidal approach
Modification of a nasal speculum for transsphenoidal surgery. Technical note, 359
Resection of suprasellar tumors using a modified transsphenoidal approach, 1028
Transvenous embolization
Selective transvenous liquid embolization of a Type I dural arteriovenous fistula at the junction of the transverse and sigmoid sinuses. Case report, 1045
Transverse ligament
Cyst of the transverse ligament. Letter, 1068
Transverse sinus
Selective transvenous liquid embolization of a Type I dural arteriovenous fistula at the junction of the transverse and sigmoid sinuses. Case report, 1045
Trauma
Selective transvenous liquid embolization of a type I dural arteriovenous fistula at the transverse-sigmoid junction developing after surgery for an acute extradural hematoma. Case report, 1045
Traumatic brain injury
Brain tissue oxygenation. Letter, 736, 737
Tremor
Thalamic stimulation for choreiform movement disorders in children. Report of two cases, 718
Trigeminal neuralgia
Microvascular decompression for trigeminal neuralgia in Charcot-Marie-Tooth disease. Report of three cases, 715

Trigeminal neuralgia (*continued*)
Trigeminal neuralgia due to cerebellopontine angle lipoma. Case illustration, 889
Tuberculosis
Tuberculosis of the skull. Case illustration, 1065
Tumor
Cortical motor and somatosensory representation: effect of cerebral lesions, 242
Genetic reflection of glioblastoma biopsy material in xenografts: characterization of 11 glioblastoma xenograft lines by comparative genomic hybridization, 652
Malignant intracerebral nerve sheath tumor with intratumoral calcification. Case report, 338
Malignant peripheral nerve sheath tumors in the setting of segmental neurofibromatosis. Case report, 342
Resection of suprasellar tumors by using a modified transsphenoidal approach. Report of four cases. 1028
Tumor recurrence
Long-term follow up of progesterone receptor status in benign meningioma: a prognostic indicator of recurrence? 401
Turcot syndrome
Ganglioglioma in a patient with Turcot syndrome. Case report, 170

Ulnar nerve
Marinacci communication. Case report, 860
Unrecognized dislocation of the medial portion of the triceps: another cause of failed ulnar nerve transposition, 52
Urokinase
Usefulness of postischemic thrombolysis with or without neuroprotection in a focal embolic model of cerebral ischemia, 841

Valve adjustment
Seven years of clinical experience with the programmable Codman Hakim valve: a retrospective study of 583 patients, 941
Vascular tumor
Infantile hemangioendothelioma of the pericranium presenting as an occipital mass lesion. Case report, 156
Vasospasm
Efficacy of transluminal angioplasty for the management of symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 284
Increased cerebral blood flow but no reversal or prevention of vasospasm in response to L-arginine infusion after subarachnoid hemorrhage, 121
Papaverine and vasospasm. Letter, 509, 510
Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage, 390
Pretreatment with continuous-wave ultraviolet irradiation to prevent the development of delayed vasospasm in the rabbit common carotid artery model, 671
Transluminal balloon angioplasty for prevention of vasospasm. Letter, 369, 370
Venous aneurysm
Histopathological study of venous aneurysms in patients with dural arteriovenous fistulas, 1023
Ventilation
Pneumoangiogram in a patient with severe head injury. Case illustration, 502
Ventricle
Imaging correlates of successful endoscopic third ventriculostomy, 915
Ventriculoperitoneal shunt
Development of an arachnoid cyst after ventriculoperitoneal shunt placement. Case illustration, 363
Intracranial hemorrhage and ventriculoperitoneal shunts. Letter, 1073, 1074
In vivo intracranial pressure dynamics in patients with hydrocephalus treated by shunt placement, 927
Neuroendoscopic aqueductal stent placement procedure for isolated fourth ventricle after ventricular shunt placement. Case report, 1036
New concept for the pressure setting of a programmable pressure valve and measurement of in vivo shunt flow performed using a microflowmeter. Technical note, 181
Risk factors for repeated cerebrospinal shunt failures in pediatric patients with hydrocephalus, 31
Ventriculostomy
Efficacy of the Ghajar Guide revisited: a prospective study, 801
Endoscopic management of cysticercal cysts within the lateral and third ventricles, 14
Vertebrobasilar artery stent
Stent-assisted angioplasty of intracranial vertebrobasilar atherosclerosis: an initial experience, 771
Vestibular schwannoma
Gamma surgery for vestibular schwannoma. Letter, 892, 894, 895
Gamma surgery for vestibular schwannoma, 745
Videomicroscopy
Locomotion and proliferation of glioblastoma cells in vitro: statistical evaluation of videomicroscopic observations, 428
Von Hippel-Lindau disease
Resection of suprasellar tumors by using a modified transsphenoidal approach. Report of four cases. 1028

Xenograft
Genetic reflection of glioblastoma biopsy material in xenografts: characterization of 11 glioblastoma xenograft lines by comparative genomic hybridization, 652
An implantable guide-screw system for brain tumor studies in small animals, 326
Intracranial injection of human meningioma cells in athymic mice: an orthotopic model for meningioma growth, 306
Reduced xenograft rejection in rat striatum after pretransplant photodynamic therapy of murine neural xenografts, 127

Zygomatic branch
Subfascial and submuscular methods of temporal muscle dissection and their relationship to the frontal branch of the facial nerve. Technical note, 877

Index to
Journal of Neurosurgery: Spine
Volume 92

January and April 2000

Author Index

ABI-SAID D. *See* MILLER DJ, 181

ABUMI K, SHONO Y, KOTANI Y, KANEDA K. Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30

ADAMS M. *See* ELERAKY MA, 12

AL-MEFTY O. *See* ARNAUTOVIC KI, 71

ALAMEDA GJ. *See* LEE TT, 149

ALBERSTONE CD, RUPP FW, ANSON JA. Spinal aneurysm of the lateral sacral artery. Case report, 101

ALDAPE KD. *See* SMYTH MD, 247

ALDEN TD. *See* HELM GA, 191

AN HS. *See* HAUGHTON VM, 81

ANSON JA. *See* ALBERSTONE CD, 101

APFELBAUM RI. *See* BROCKMEYER DL, 7

ARGINTEANU M. *See* DEUTSCH H, 155

ARNAUTOVIC KI, AL-MEFTY O, HUSAIN M. Ventral foramen magnum meningiomas, 71

BAKSHI SS. *See* BHATOE HS, 225

BALL PA. *See* BENZEL EC, 142

BARTKOWSKI H. *See* HOOVER D, 122

BATZDORF U. *See* HOLLY LT, 162

BELZBERG AJ. *See* CLATTERBUCK RE, 236

BENINI A. *See* PAYER M, 105

BENZEL EC, BALL PA. Management of low lumbar fractures by dorsal decompression, fusion, and lumbosacral laminar distraction fixation, 142

BENZEL EC. *See* ORDONEZ BJ, 18

BERES EJ. *See* HELM GA, 191

BHATOE HS, BAKSHI SS, SWAMY GLN. Trichinoechinococcosis of T-5. Case report, 225

BOGGAN JE. *See* GILMER-HILL HS, 109

BOHNSTEDT T. *See* BÖRM W, 221

BOLGER C, WIGFIELD C. Image-guided surgery: applications to the cervical and thoracic spine and a review of the first 120 procedures, 175

BONDURANT CP. *See* NOTTMEIER EW, 233

BÖRM W, BOHNSTEDT T. Intradural cervical disc herniation. Case report and review of the literature, 221

BRAYTON J. *See* LENNARSON PJ, 201

BROCKMEYER DL, YORK JE, APFELBAUM RI. Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7

BROWN PG, SHAVER EG. Myolipoma in a tethered cord. Case report and review of the literature, 214

BRUDER E. *See* PAYER M, 105

CAMINS M. *See* DEUTSCH H, 155

CAMPBELL GA. *See* NAUTA HJW, 125

CARRAS D. *See* LENNARSON PJ, 201

CHAREST DR, KENNY BG. Radicular pain caused by synovial cyst: an underdiagnosed entity in the elderly? 57

CHEN H-J. *See* LU K, 44

CHENG M-H. *See* LILIANG P-C, 211

CIRAK B, UNAL O. Iatrogenic quadriplegia and bone wax. Case illustration, 248

CLAES L. *See* KETTLER A, 87

CLATTERBUCK RE, BELZBERG AJ, DUCKER TB. Intradural cervical disc herniation and Brown–Séquard's syndrome. Report of three cases and review of the literature, 236

CLATTERBUCK RE, JACKMAN SV, KAVOUSSI LR, LONG DM. Laparoscopic treatment of an anterior sacral meningocele. Case illustration, 246

COCHRANE DD. *See* SUN JCL, 207

CONNOLLY ES. *See* RATLIFF J, 124

CONTI R. *See* DI LORENZO N, 114

COSKUN E. *See* SÜZER T, 124

DANISA OA, TURNER D, RICHARDSON WJ. Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50

DAS S. *See* HELM GA, 191

DE JUAMBELZ PP. *See* REVUELTA R, 98

DE KROM MCTFM. *See* VROOMEN PCAJ, 135

DEEN G JR. *See* RONCAROLI F, 229

DEUTSCH H, ARGINTEANU M, MANHART K, PERIN N, CAMINS M, MOORE F, STEINBERGER AA, WEISZ DJ. Somatosensory evoked potential monitoring in anterior thoracic vertebrectomy, 155

DI LORENZO N, CONTI R, ROMO S. Retrieval of broken pedicle screws by "friction" technique. Technical note, 114

DI LAZZARO V. *See* ROSELLI R, 38

DIETL R. *See* KETTLER A, 87

DUCKER TB. *See* CLATTERBUCK RE, 236

DURHAM SR, SUN PP, SUTTON LN. Surgically treated lumbar disc disease in the pediatric population: an outcome study, 1

EDGAR MA. *See* ZONENSHAYN M, 241

ELERAKY MA, THEODORE N, ADAMS M, REKATE HL, SONNTAG VKH. Pediatric cervical spine injuries: report of 102 cases and review of the literature, 12

ELLIS WG. *See* GILMER-HILL HS, 109
ENGH JA. *See* HELM GA, 191

FABIAN RH. *See* NAUTA HJW, 125
FERNANDEZ B. *See* REVUELTA R, 98
FINIELS P-J, HERNANDEZ G, SABATIER P, FREREBEAU P. Delayed esophageal perforation after cervical osteosynthesis. Case illustration, 123
FISCHER JA. *See* PAYER M, 105
FLORES JA. *See* REVUELTA R, 98
FOLEY KT. *See* HOLLY LT, 162
FORMICA F. *See* ROSELLI R, 38
FREREBEAU P. *See* FINIELS P-J, 123

GANJU A. *See* HOOVER D, 122
GHARABAGHI A. *See* ROSAHL SK, 169
GILMER-HILL HS, ELLIS WG, IMBESI SG, BOGGAN JE. Spinal oligodendroglioma with gliomatosis in a child. Case report, 109
GOKASLAN ZL. *See* MILLER DJ, 181
GOKASLAN ZL. *See* JACKSON RJ, 61
GRABB P. *See* TUBBS RS, 197
GRADY JJ. *See* NAUTA HJW, 125
GREEN BA. *See* LEE TT, 149
GROMELSKI EB. *See* LEE TT, 149

HARRISON SJ. *See* VENDER JR, 24
HAUGHTON VM, SCHMIDT TA, KEELE K, AN HS, LIM T-H. Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
HEISS JD. *See* LEVY EI, 93
HELM GA, ALDEN TD, BERES EJ, HUDSON SB, DAS S, ENGH JA, PITTMAN DD, KERNS KM, KALLMES DF. Use of bone morphogenetic protein–9 gene therapy to induce spinal arthrodesis in the rodent, 191
HERNANDEZ G. *See* FINIELS P-J, 123
HOLLY LT, BATZDORF U, FOLEY KT. Treatment of severe retromastoid pain secondary to C1–2 arthrosis by using cervical fusion, 162
HOOVER D, GANJU A, SHAFFREY CI, BARTKOWSKI H, RAUZZINO MJ. Shunt fracture following correction of spine deformity. Case illustration, 122
HUDSON SB. *See* HELM GA, 191
HUSAIN M. *See* ARNAUTOVIC KI, 71

IMBESI SG. *See* GILMER-HILL HS, 109

JACKLER RK. *See* SMYTH MD, 247
JACKMAN SV. *See* CLATTERBUCK RE, 246
JACKSON RJ, GOKASLAN ZL. Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61
JOHNSON JP. Thoracic sympathectomy. Letter, 124

KALLMES DF. *See* HELM GA, 191
KANEDA K. *See* ABUMI K, 30
KAUFMAN-FOX K. Erratum, 249
KAVOUSSI LR. *See* CLATTERBUCK RE, 246
KEELE K. *See* HAUGHTON VM, 81
KENNY BG. *See* CHAREST DR, 57
KENT MS. *See* LEVY EI, 93
KERNS KM. *See* HELM GA, 191
KETTLER A, WILKE H-J, DIETL R, KRAMMER M, LUMENTA C, CLAES L. Stabilizing effect of posterior lumbar interbody fusion cages before and after cyclic loading, 87
KLOSTER R. *See* NYGAARD ØP, 131
KOTANI Y. *See* ABUMI K, 30
KRAMMER M. *See* KETTLER A, 87

LANG FF. *See* MILLER DJ, 181
LAVYNE MH. *See* ZONENSHAYN M, 241
LEE JH. *See* VORSTER SJ, 217
LEE T-C. *See* LU K, 44
LEE TT, ALAMEDA GJ, GROMELSKI EB, GREEN BA. Outcome after surgical treatment of progressive posttraumatic cystic myelopathy, 149
LENNARSON PJ, SMITH D, TODD MM, CARRAS D, SAWIN PD, BRAYTON J, SATO Y, TRAYNELIS VC. Segmental cervical spine motion during orotracheal intubation of the intact and injured spine with and without external stabilization, 201
LEVY EI, HEISS JD, KENT MS, RIEDEL CJ, OLDFIELD EH. Spinal cord swelling preceding syrinx development. Case report, 93
LIANG C-L. *See* LU K, 44
LILIANG P-C, LIU C-C, CHENG M-H, SHIH T-Y. Atlantal stenosis: a rare cause of quadriparesis in a child. Case report, 211
LILIANG P-C. *See* LU K, 44
LIM T-H. *See* HAUGHTON VM, 81
LIN JT. *See* NAUTA HJW, 125
LIU C-C. *See* LILIANG P-C, 211
LONG DM. *See* CLATTERBUCK RE, 246
LU K, LIANG C-L, LEE T-C, CHEN H-J, SU T-M, LILIANG P-C. Changes of bilateral palmar skin temperature in transthoracic endoscopic T-2 sympathectomy, 44
LUMENTA C. *See* KETTLER A, 87

MANHART K. *See* DEUTSCH H, 155
MCDONNELL DE. *See* VENDER JR, 24
MICOVIC V. *See* STANCIC MF, 117
MILLER DJ, LANG FF, WALSH GL, ABI-SAID D, WILDRICK DM, GOKASLAN ZL. Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
MOORE F. *See* DEUTSCH H, 155

NADERI S. *See* ORDONEZ BJ, 18
NAUTA HJW, SOUKUP VM, FABIAN RH, LIN JT, GRADY JJ, WILLIAMS CGA, CAMPBELL GA, WESTLUND KN, WILLIS WD JR. Punctate midline myelotomy for the relief of visceral cancer pain, 125
NOTTMEIER EW, BONDURANT CP. Delayed onset of generalized tonic–clonic seizures as a complication of halo orthosis. Case report, 233

NYGAARD ØP, KLOSTER R, SOLBERG T. Duration of leg pain as a predictor of outcome after surgery for lumbar disc herniation: a prospective cohort study with 1-year follow up, 131

OAKES WJ. *See* TUBBS RS, 197
OLDFIELD EH. *See* LEVY EI, 93
ORDONEZ BJ, BENZEL EC, NADERI S, WELLER SJ. Cervical facet dislocation: techniques for ventral reduction and stabilization, 18

PAYER M, BRUDER E, FISCHER JA, BENINI A. Thoracic myelopathy due to enlarged ossified yellow ligaments. Case report and review of the literature, 105
PERIN N. *See* DEUTSCH H, 155
PITTMAN DD. *See* HELM GA, 191
PITTS L. *See* SMYTH MD, 247
POMPUCCI A. *See* ROSELLI R, 38
POTOCNJAK M. *See* STANCIC MF, 117
PRAYSON RA. *See* VORSTER SJ, 217

RATLIFF J, CONNOLLY ES. Intramedullary spinal tuberculoma. Letter, 124
RAUZZINO MJ. *See* HOOVER D, 122
REKATE HL. *See* ELERAKY MA, 12
RESTUCCIA D. *See* ROSELLI R, 38
REVUELTA R, DE JUAMBELZ PP, FERNANDEZ B, FLORES JA. Lumbar disc herniation in a 27-month-old child. Case report, 98
RICHARDSON WJ. *See* DANISA OA, 50
RIEDEL CJ. *See* LEVY EI, 93
ROBERTSON DP. Thoracic sympathectomy. Letter, 124
ROMO S. *See* DI LORENZO N, 114
RONCAROLI F, SCHEITHAUER BW, DEEN G JR. Multiple hemangiomas (hemangiomatosis) of the cauda equina and spinal cord. Case report, 229
ROSAHL SK, GHARABAGHI A, ZINK P-M, SAMII M. Monitoring of blood parameters following anterior cervical fusion, 169
ROSELLI R, POMPUCCI A, FORMICA F, RESTUCCIA D, DI LAZZARO V, VALERIANI M, SCERRATI M. Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological monitoring, 38
RUPP FW. *See* ALBERSTONE CD, 101

SABATIER P. *See* FINIELS P-J, 123
SAMII M. *See* ROSAHL SK, 169
SATO Y. *See* LENNARSON PJ, 201
SAWIN PD. *See* LENNARSON PJ, 201
SCERRATI M. *See* ROSELLI R, 38
SCHEITHAUER BW. *See* RONCAROLI F, 229
SCHMIDT TA. *See* HAUGHTON VM, 81
SHAFFREY CI. *See* HOOVER D, 122
SHAVER EG. *See* BROWN PG, 214
SHIH T-Y. *See* LILIANG P-C, 211
SHONO Y. *See* ABUMI K, 30
SMITH D. *See* LENNARSON PJ, 201
SMYTH MD, PITTS L, JACKLER RK, ALDAPE KD. Metastatic spinal ependymoma presenting as a vestibular schwannoma. Case illustration, 247
SOLBERG T. *See* NYGAARD ØP, 131
SONNTAG VKH. *See* ELERAKY MA, 12
SOUKUP VM. *See* NAUTA HJW, 125
SPOONER A. *See* TUBBS RS, 197
STANCIC MF, MICOVIC V, POTOCNJAK M. Hook–rod with pedicle screw fixation for unstable spinal fracture. Technical note, 117
STEINBERGER AA. *See* DEUTSCH H, 155
STEINBOK P. *See* SUN JCL, 207
SU T-M. *See* LU K, 44
SUN JCL, STEINBOK P, COCHRANE DD. Spontaneous resolution and recurrence of a Chiari I malformation and associated syringomyelia. Case report, 207
SUN PP. *See* DURHAM SR, 1
SUTTON LN. *See* DURHAM SR, 1
SÜZER T, COSKUN E, TAHTA K, Intramedullary spinal tuberculoma. Letter, 124
SWAMY GLN. *See* BHATOE HS, 225

TAHTA K. *See* SÜZER T, 124
THEODORE N. *See* ELERAKY MA, 12
TODD MM. *See* LENNARSON PJ, 201
TRAYNELIS VC. *See* LENNARSON PJ, 201
TUBBS RS, GRABB P, SPOONER A, WILSON W, OAKES WJ. The apical ligament: anatomy and functional significance, 197
TURNER D. *See* DANISA OA, 50

UNAL O. *See* CIRAK B, 248

VALERIANI M. *See* ROSELLI R, 38
VENDER JR, HARRISON SJ, MCDONNELL DE. Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
VORSTER SJ, PRAYSON RA, LEE JH. Solitary fibrous tumor of the thoracic spine. Case report and review of the literature, 217
VROOMEN PCAJ, DE KROM MC, WILMINK JT. Pathoanatomy of clinical findings in patients with sciatica: a magnetic resonance imaging study, 135

WALSH GL. *See* MILLER DJ, 181
WEISZ DJ. *See* DEUTSCH H, 155
WELLER SJ. *See* ORDONEZ BJ, 18
WESTLUND KN. *See* NAUTA HJW, 125
WIGFIELD C. *See* BOLGER C, 175
WILDRICK DM. *See* MILLER DJ, 181
WILKE H-J. *See* KETTLER A, 87
WILLIAMS CGA. *See* NAUTA HJW, 125
WILLIS WD JR. *See* NAUTA HJW, 125
WILMINK JT. *See* VROOMEN PCAJ, 135
WILSON W. *See* TUBBS RS, 197

YORK JE. *See* BROCKMEYER DL, 7

ZINK P-M. *See* ROSAHL SK, 169
ZONENSHAYN M, EDGAR MA, LAVYNE MH. Removal of a lumbar melanotic schwannoma via the far-lateral approach in a patient with Carney complex. Case report, 241

Subject Index

Adenoviral vector
  Use of bone morphogenetic protein–9 gene therapy to induce spinal arthrodesis in the rodent, 191
Anatomy
  The apical ligament: anatomy and functional significance, 197
  Pathoanatomy of clinical findings in patients with sciatica: a magnetic resonance imaging study, 135
Aneurysm
  Spinal aneurysm of the lateral sacral artery. Case report, 101
Annulus fibrosus
  Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Anterior C1–3 arthrodesis
  Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
Anterior cervical discectomy
  Intradural cervical disc herniation. Case report and review of the literature, 221
Anterior fusion
  Monitoring of blood parameters following anterior cervical fusion, 169
Anterior sacral meningocele
  Laparoscopic treatment of an anterior sacral meningocele. Case illustration, 246
Apical ligament
  The apical ligament: anatomy and functional significance, 197
Arthrodesis
  Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
Atlantoaxial instability
  Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7
Atlas
  Atlantal stenosis: a rare cause of quadriparesis in a child. Case report, 211

Biomechanical testing
  Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Bone morphogenetic protein
  Use of bone morphogenetic protein–9 gene therapy to induce spinal arthrodesis in the rodent, 191
Bone wax
  Iatrogenic quadriplegia and bone wax. Case illustration, 248
Brown–Séquard syndrome
  Intradural cervical disc herniation. Case report and review of the literature, 221
  Intradural cervical disc herniation and Brown–Séquard's syndrome. Report of three cases and review of the literature, 236
Burst fracture
  Hook–rod with pedicle screw fixation for unstable spinal fracture. Technical note, 117

c-reactive protein
  Monitoring of blood parameters following anterior cervical fusion, 169
C1–2 arthrosis
  Treatment of severe retromastoid pain secondary to C1–2 arthrosis by using cervical fusion, 162
Cancer pain
  Punctate midline myelotomy for the relief of visceral cancer pain, 125
Carney complex
  Removal of a lumbar melanotic schwannoma via the far-lateral approach in a patient with Carney complex. Case report, 241
Caspar plate
  Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
Cauda equina
  Multiple hemangiomas (hemangiomatosis) of the cauda equina and spinal cord. Case report, 229
  Spinal aneurysm of the lateral sacral artery. Case report, 101
CD34
  Solitary fibrous tumor of the thoracic spine. Case report and review of the literature, 217
Cervical pedicle screw system
  Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Cervical spine
  Iatrogenic quadriplegia and bone wax. Case illustration, 248
  Image-guided surgery: applications to the cervical and thoracic spine and a review of the first 120 procedures, 175
  Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
  Intradural cervical disc herniation and Brown–Séquard's syndrome. Report of three cases and review of the literature, 236
  Monitoring of blood parameters following anterior cervical fusion, 169
  Pediatric cervical spine injuries: report of 102 cases and review of the literature, 12
  Segmental cervical spine motion during orotracheal intubation of the intact and injured spine with and without external stabilization, 201
Cervical stability
  The apical ligament: anatomy and functional significance, 197
Chiari I malformation
  Spinal cord swelling preceding syrinx development. Case report, 93
  Spontaneous resolution and recurrence of a Chiari I malformation and associated syringomyelia. Case report, 207
Children
  Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7
  Lumbar disc herniation in a 27-month-old child. Case report, 98
  Pediatric cervical spine injuries: report of 102 cases and review of the literature, 12

Surgically treated lumbar disc disease in the pediatric population: an outcome study, 1
Coaxial double-lumen technique
Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
Complication
Delayed onset of generalized tonic–clonic seizures as a complication of halo orthosis. Case report, 233
Shunt fracture following correction of spinal deformity. Case illustration, 122
Craniocervical junction
The apical ligament: anatomy and functional significance, 197
Craniovertebral junction
Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7
Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
Cyclic testing
Stabilizing effect of posterior lumbar interbody fusion cages before and after cyclic loading, 87

Decompression surgery
Cervical facet dislocation: techniques for ventral reduction and stabilization, 18
Disc herniation
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Pathoanatomy of clinical findings in patients with sciatica: a magnetic resonance imaging study, 135
Lumbar disc herniation in a 27-month-old child. Case report, 98
Discectomy
Surgically treated lumbar disc disease in the pediatric population: an outcome study, 1
Dislocation
Cervical facet dislocation: techniques for ventral reduction and stabilization, 18
Duraplasty
Outcome after surgical treatment of progressive posttraumatic cyst myelopathy, 149
Duration of symptoms
Duration of leg pain as a predictor of outcome after surgery for lumbar disc herniation: a prospective cohort study with 1-year follow up, 131

Echinococcosis
Trichinoechinococcosis of T-5. Case report, 225
Echinococcus
Trichinoechinococcosis of T-5. Case report, 225
Ependymoma
Metastatic spinal ependymoma presenting as a vestibular schwannoma. Case illustration, 247
Erythrocyte sedimentation rate
Monitoring of blood parameters following anterior cervical fusion, 169
Esophageal perforation
Delayed esophageal perforation after cervical osteosynthesis. Case illustration, 123
Evoked potential
Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological monitoring, 38

Facet dislocation
Cervical facet dislocation: techniques for ventral reduction and stabilization, 18
Far-lateral approach
Removal of a lumbar melanotic schwannoma via the far-lateral approach in a patient with Carney complex. Case report, 241
Flat-back syndrome
Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50
Foramen magnum
Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
Ventral foramen magnum meningiomas, 71
Frameless stereotaxy
Image-guided surgery: applications to the cervical and thoracic spine and a review of the first 120 procedures, 175
Fusion
Treatment of severe retromastoid pain secondary to C1–2 arthrosis by using cervical fusion, 162

Ganglion cyst
Radicular pain caused by synovial cyst: an underdiagnosed entity in the elderly? 57
Gene therapy
Use of bone morphogenetic protein–9 gene therapy to induce spinal arthrodesis in the rodent, 191

Halo
Delayed onset of generalized tonic–clonic seizures as a complication of halo orthosis. Case report, 233
Hemangiomatosis
Multiple hemangiomas (hemangiomatosis) of the cauda equina and spinal cord. Case report, 229
Herniation
Lumbar disc herniation in a 27-month-old child. Case report, 98
Hook–rod system
Hook–rod with pedicle screw fixation for unstable spinal fracture. Technical note, 117
Hydatid
Trichinoechinococcosis of T-5. Case report, 225

Image guidance
Image-guided surgery: applications to the cervical and thoracic spine and a review of the first 120 procedures, 175
Indirect posterior reduction
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Interbody fusion device
Stabilizing effect of posterior lumbar interbody fusion cages before and after cyclic loading, 87
Intervertebral disc
Lumbar disc herniation in a 27-month-old child. Case report, 98
Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Intradural disc herniation
Intradural cervical disc herniation. Case report and review of the literature, 221
Intradural cervical disc herniation and Brown–Séquard's syndrome. Report of three cases and review of the literature, 236
Intradural spinal lipoma
Myolipoma in a tethered cord. Case report and review of the literature, 214

Laminoplasty
Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological monitoring, 38
Laparoscopy
Laparoscopic treatment of an anterior sacral meningocele. Case illustration, 246
Laryngoscopy
Segmental cervical spine motion during orotracheal intubation of the intact and injured spine with and without external stabilization, 201
Leptomeningeal gliomatosis
Spinal oligodendroglioma with gliomatosis in a child. Case report, 109
Ligamentotaxis
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Ligamentum flavum
Thoracic myelopathy due to enlarged ossified yellow ligaments. Case report and review of the literature, 105
Lumbar disc herniation
Duration of leg pain as a predictor of outcome after surgery for lumbar disc herniation: a prospective cohort study with 1-year follow up, 131
Lumbar discectomy
Duration of leg pain as a predictor of outcome after surgery for lumbar disc herniation: a prospective cohort study with 1-year follow up, 131
Lumbar fracture
Management of low lumbar fractures by dorsal decompression, fusion, and lumbosacral laminar distraction fixation, 142
Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50
Lumbar instrumentation
Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50
Lumbar spinal motor segment
Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Lumbar spine
Hook–rod with pedicle screw fixation for unstable spinal fracture. Technical note, 117
Lumbar disc herniation in a 27-month-old child. Case report, 98
Stabilizing effect of posterior lumbar interbody fusion cages before and after cyclic loading, 87
Surgically treated lumbar disc disease in the pediatric population: an outcome study, 1
Lumbosacral fixation
Management of low lumbar fractures by dorsal decompression, fusion, and lumbosacral laminar distraction fixation, 142
Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61
Lumbosacral fracture
Management of low lumbar fractures by dorsal decompression, fusion, and lumbosacral laminar distraction fixation, 142
Lumbosacral tumor
Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61

Magnetic resonance imaging
Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Pathoanatomy of clinical findings in patients with sciatica: a magnetic resonance imaging study, 135
Manual in-line immobilization
Segmental cervical spine motion during orotracheal intubation of the intact and injured spine with and without external stabilization, 201
Melanotic schwannoma
Removal of a lumbar melanotic schwannoma via the far-lateral approach in a patient with Carney complex. Case report, 241
Meningioma
Ventral foramen magnum meningiomas, 71
Metastasis
Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61
Methylmethacrylate anterior reconstruction
Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
Multiple hemangiomas
Multiple hemangiomas (hemangiomatosis) of the cauda equina and spinal cord. Case report, 229
Myelomeningocele
Shunt fracture following correction of spinal deformity. Case illustration, 122
Myelopathy
Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological approach, 38
Solitary fibrous tumor of the thoracic spine. Case report and review of the literature, 217
Thoracic myelopathy due to enlarged ossified yellow ligaments. Case report and review of the literature, 105
Trichinoechinococcosis of T-5. Case report, 225
Myelotomy
Punctate midline myelotomy for the relief of visceral cancer pain, 125
Myolipoma
Myolipoma in a tethered cord. Case report and review of the literature, 214
Myxopapillary ependymoma
Metastatic spinal ependymoma presenting as a vestibular schwannoma. Case illustration, 247

Nerve
Multiple hemangiomas (hemangiomatosis) of the cauda equina and spinal cord. Case report, 229
Nerve root
Pathoanatomy of clinical findings in patients with sciatica: a magnetic resonance imaging study, 135

Occipitocervical instability
Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7
Oligodendroglioma
Spinal oligodendroglioma with gliomatosis in a child. Case report, 109
Orotracheal intubation
Segmental cervical spine motion during orotracheal intubation of the intact and injured spine with and without external stabilization, 201
Osteotomy
Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50

Outcome
Duration of leg pain as a predictor of outcome after surgery for lumbar disc herniation: a prospective cohort study with 1-year follow up, 131
Surgically treated lumbar disc disease in the pediatric population: an outcome study, 1
Ventral foramen magnum meningiomas, 71

Pain
Treatment of severe retromastoid pain secondary to C1–2 arthrosis by using cervical fusion, 162
Pain pathway
Punctate midline myelotomy for the relief of visceral cancer pain, 125
Palmar hyperhidrosis
Changes of bilateral palmar skin temperature in transthoracic endoscopic T-2 sympathectomy, 44
Parasitic infestation
Trichinoechinococcosis of T-5. Case report, 225
Pedicle screw
Hook–rod with pedicle screw fixation for unstable spinal fracture. Technical note, 117
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Peripheral nerve sheath tumor
Removal of a lumbar melanotic schwannoma via the far-lateral approach in a patient with Carney complex. Case report, 241
Posterior columns
Punctate midline myelotomy for the relief of visceral cancer pain, 125
Progressive posttraumatic cystic myelopathy
Outcome after surgical treatment of progressive posttraumatic cyst myelopathy, 149

Quadriparesis
Atlantal stenosis: a rare cause of quadriparesis in a child. Case report, 211
Quadriplegia
Iatrogenic quadriplegia and bone wax. Case illustration, 248

Radial tear
Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Renal transplantation
Spinal aneurysm of the lateral sacral artery. Case report, 101

S-1 lamina
Management of low lumbar fractures by dorsal decompression, fusion, and lumbosacral laminar distraction fixation, 142
S-2 dorsal neuroforamina
Management of low lumbar fractures by dorsal decompression, fusion, and lumbosacral laminar distraction fixation, 142
Sacral artery
Spinal aneurysm of the lateral sacral artery. Case report, 101
Sciatica
Pathoanatomy of clinical findings in patients with sciatica: a magnetic resonance imaging study, 135
Scoliosis
Shunt fracture following correction of spinal deformity. Case illustration, 122
Seizure
Delayed onset of generalized tonic–clonic seizures as a complication of halo orthosis. Case report, 233
Shunt
Outcome after surgical treatment of progressive posttraumatic cyst myelopathy, 149
Shunt fracture following correction of spinal deformity. Case illustration, 122
Skull base surgery
Ventral foramen magnum meningiomas, 71
Solitary fibrous tumor
Solitary fibrous tumor of the thoracic spine. Case report and review of the literature, 217
Somatosensory evoked potential monitoring
Somatosensory evoked potential monitoring in anterior thoracic vertebrectomy, 155
Spinal aneurysm
Spinal aneurysm of the lateral sacral artery, 101
Spinal canal stenosis
Atlantal stenosis: a rare cause of quadriparesis in a child. Case report, 211
Spinal cord
Multiple hemangiomas (hemangiomatosis) of the cauda equina and spinal cord. Case report, 229
Spinal cord contusion
Atlantal stenosis: a rare cause of quadriparesis in a child. Case report, 211
Spinal cord injury
Pediatric cervical spine injuries: report of 102 cases and review of the literature, 12
Spinal fixation
Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61
Spinal fusion
Use of bone morphogenetic protein–9 gene therapy to induce spinal arthrodesis in the rodent, 191
Spinal instability
Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7
Spinal nerve root compression
Radicular pain caused by synovial cyst: an underdiagnosed entity in the elderly? 57
Spinal stabilization
Cervical facet dislocation: techniques for ventral reduction and stabilization, 18
Spinal surgery
Monitoring of blood parameters following anterior cervical fusion, 169
Spine
Cervical facet dislocation: techniques for ventral reduction and stabilization, 18
Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological approach, 38
Radicular pain caused by synovial cyst: an underdiagnosed entity in the elderly? 57
Retrieval of broken pedicle screws by "friction" technique. Technical note, 114
Shunt fracture following correction of spinal deformity. Case illustration, 122
Spinal aneurysm of the lateral sacral artery. Case report, 101
Spinal oligodendroglioma with gliomatosis in a child. Case report, 109

Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61
Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50
Spine fixation
Delayed esophageal perforation after cervical osteosynthesis. Case illustration, 124
Spontaneous recurrence
Spontaneous resolution and recurrence of a Chiari I malformation and associated syringomyelia. Case report, 207
Spontaneous resolution
Spontaneous resolution and recurrence of a Chiari I malformation and associated syringomyelia. Case report, 207
Stenotic cervical myelopathy
Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological monitoring, 38
Subarachnoid spread
Metastatic spinal ependymoma presenting as a vestibular schwannoma. Case illustration, 247
Sympathetic innervation
Changes of bilateral palmar skin temperature in transthoracic endoscopic T-2 sympathectomy, 44
Synovial cyst
Radicular pain caused by synovial cyst: an underdiagnosed entity in the elderly? 57
Syringomyelia
Outcome after surgical treatment of progressive posttraumatic cyst myelopathy, 149
Spinal cord swelling preceding syrinx development. Case report, 93
Spontaneous resolution and recurrence of a Chiari I malformation and associated syringomyelia. Case report, 207

Tethered cord
Myolipoma in a tethered cord. Case report and review of the literature, 214
Thoracic disc
Somatosensory evoked potential monitoring in anterior thoracic vertebrectomy, 155
Thoracic spine
Image-guided surgery: applications to the cervical and thoracic spine and a review of the first 120 procedures, 175
Solitary fibrous tumor of the thoracic spine. Case report and review of the literature, 217
Thoracic myelopathy due to enlarged ossified yellow ligaments. Case report and review of the literature, 105
Titanium miniplate
Open-door laminoplasty for cervical stenotic myelopathy: surgical technique and neurophysiological monitoring, 38
Traction
Segmental cervical spine motion during orotracheal intubation of the intact and injured spine with and without external stabilization, 201
Transarticular screw
Anatomical suitability of C1–2 transarticular screw placement in pediatric patients, 7
Transcervical approach
Fusion and instrumentation at C1–3 via the high anterior cervical approach, 24
Transcondylar approach
Ventral foramen magnum meningiomas, 71
Transpedicular screw
Retrieval of broken pedicle screws by "friction" technique. Technical note, 114
Transverse tear
Flexibility of lumbar spinal motion segments correlated to type of tears in the annulus fibrosus, 81
Traumatic disc herniation
Indirect posterior reduction and fusion of the traumatic herniated disc by using a cervical pedicle screw system, 30
Trichinella
Trichinoechinococcosis of T-5. Case report, 225
Tumor
Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
Spinal–pelvic fixation in patients with lumbosacral neoplasms, 61

Untethering
Outcome after surgical treatment of progressive posttraumatic cyst myelopathy, 149

Vertebrectomy
Coaxial double-lumen methylmethacrylate reconstruction in the anterior cervical and upper thoracic spine after tumor resection, 181
Somatosensory evoked potential monitoring in anterior thoracic vertebrectomy, 155
Vestibular schwannoma
Metastatic spinal ependymoma presenting as a vestibular schwannoma. Case illustration, 247
Vestibulocochlear nerve
Metastatic spinal ependymoma presenting as a vestibular schwannoma. Case illustration, 247
Visceral pain
Punctate midline myelotomy for the relief of visceral cancer pain, 125

Wedge osteotomy
Surgical correction of lumbar kyphotic deformity: posterior reduction "eggshell" osteotomy, 50